SYSTEMS SURVEY FORM



Patient	Doctor	Date						
Birth Date// Ap	prox Weight	Vegetarian ☐ Gluten-free ☐						
INSTRUCTIONS: Number only the boxes which apply to you. Leave blank if you don't have the problem. * Write 1 in the box for MILD symptoms (occurs rarely). * Write 2 in the box for MODERATE symptoms (occurs several times a month). * Write 3 in the box for SEVERE symptoms (occurs almost constantly).								
Please do not use checkmarks in the boxes - fill in the boxes with a number or leave blank! GROUP 1								
1 Acid foods upset 2 Get chilled often 3 "Lump" in throat 4 Dry mouth-eyes-nose 5 Pulse speeds after meal 6 Keyed up - fail to calm 7 Cut heals slowly	8 Gag easily 9 Unable to relax; startles easily 10 Extremities cold, clammy 11 Strong light irritates 12 Urine amount reduced 13 Heart pounds after retiring 14 "Nervous" stomach	15 Appetite reduced 16 Cold sweats often 17 Fever easily raised 18 Neuralgia-like pains 19 Staring, blinks little 20 Sour stomach often						
	GROUP 2							
21 Joint stiffness on arising 22 Muscle-leg-toe cramps at night 23 "Butterfly" stomach, cramps 24 Eyes or nose watery 25 Eyes blink often 26 Eyelids swollen, puffy 27 Indigestion soon after meals 28 Always seems hungry; feels "lightheaced" often	29 Digestion rapid 30 Vomiting frequent 31 Hoarseness frequent 32 Breathing irregular 33 Pulse slow; feels "irregular" 34 Gagging reflex slow 35 Difficulty swallowing 36 Constipation, diarrhea alternating	37 "Slow starter" 38 Get "chilled" infrequently 39 Perspire easily 40 Circulation poor, sensitive to cold 41 Subject to colds, asthma, bronchitis						
42 Eat when nervous 43 Excessive appetite 44 Hungry between meals 45 Irritable before meals 46 Get "shaky" if hungry 47 Fatigue, eating relieves 48 "Lightheaded" if meals delayed	 49 Heart palpitates if meals missed or delayed 50 Afternoon headaches 51 Overeating sweets upsets 52 Awaken after few hours sleep hard to get back to sleep 	53 Crave candy or coffee in afternoons 54 Moods of depression - "blues" or melancholy 55 Abnormal craving for sweets or snacks						
GROUP 4								
56 Hands and feet go to sleep easily, numbness 57 Sigh frequently, "air hunger" 58 Aware of "breathing heavily" 59 High altitude discomfort 60 Opens windows in closed rooms 61 Susceptible to colds and fevers 62 Afternoon "yawner"	63 Get "drowsy" often 64 Swollen ankles, worse at night 65 Muscle cramps, worse during exercise; get "charley horses" 66 Shortness of breath on exertion 67 Dull pain in chest or radiating into left arm, worse on exertion	68 Bruise easily, "black and blue" spots 69 Tendency to anemia 70 "Nose bleeds" frequent 71 Noises in head, or "ringing in ears" 72 Tension under the breastbone, or feeling of "tightness", worse on exertion						

GROUP 5								
73 Dizziness 74 Dry skin 75 Burning feet 76 Blurred vision 77 Itching skin and feet 78 Excessive falling hair 79 Frequent skin rashes 80 Bitter, metallic taste in mouth in mornings 81 Bowel movements painful or difficult 82 Worrier, feels insecure	83 Feeling queasy; headache over eyes 84 Greasy foods upset 85 Stools light colored 86 Skin peels on foot soles 87 Pain between shoulder blades 88 Use laxatives 89 Stools alternate from soft to watery 90 History of gallbladder attacks or gallstones	91 Sneezing attacks 92 Dreaming, nightmare type bad dreams 93 Bad breath (halitosis) 94 Milk products cause distress 95 Sensitive to hot weather 96 Burning or itching anus 97 Crave sweets						
	GROUP 6							
98 Loss of taste for meat 99 Lower bowel gas several hours after eating 100 Burning stomach sensations, eating relieves	 101 Coated tongue 102 Pass large amounts of foul-smelling gas 103 Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs. 	 104 Mucous colitis or "irritable bowel" 105 Gas shortly after eating 106 Stomach "bloating" after eating 						
	GROUP 7							
(A)	GROUP 7	(E)						
107 Insomnia 108 Nervousness 109 Can't gain weight 110 Intolerance to heat 111 Highly emotional 112 Flush easily 113 Night sweats 114 Thin, moist skin 115 Inward trembling 116 Heart palpitates 117 Increased appetite without weight gain	(C) 137 Failing memory 138 Low blood pressure 139 Increased sex drive 140 Headaches, "splitting or rending" type 141 Decreased sugar tolerance	150 Dizziness 151 Headaches 152 Hot flashes 153 Increased blood pressure 154 Hair growth on face or body (female) 155 Sugar in urine (not diabetes) 156 Masculine tendencies (female)						
118 Pulse fast at rest 119 Eyelids and face twitch 120 Irritable and restless 121 Can't work under pressure (B) 122 Increase in weight 123 Decrease in appetite 124 Fatigue easily 125 Ringing in ears 126 Sleepy during day 127 Sensitive to cold 128 Dry or scaly skin	(D) 142	(F) 157 Weakness, dizziness 158 Chronic fatigue 159 Low blood pressure 160 Nails weak, ridged 161 Tendency to hives 162 Arthritic tendencies 163 Perspiration increase 164 Bowel disorders 165 Poor circulation 166 Swollen ankles 167 Crave salt						
129 Constipation 130 Mental sluggishness 131 Hair coarse, falls out 132 Headaches upon arising, wear off during day 133 Slow pulse, below 65 134 Frequency of urination 135 Impaired hearing 136 Reduced initiative		 Brown spots or bronzing of skin Allergies - tendency to asthma Weakness after colds, influenza Exhaustion - muscular and nervous Respiratory disorders 						

173 174 175 176 177 178 179 180 181 182 182 182 182 182 182 182 182 182 182 183 184	Muscle weakness Lack of Stamina Drowsiness after eating Muscular soreness Rapid heart beat Hyper-irritable Feeling of a band around your head Melancholia (feeling of sadness) Swelling of ankles Diminished urination	183	or carbohydra Muscle spasr Blurred visior Loss of musc Numbness Night sweats Rapid digesti Sensitivity to	ns cular control on noise calms of hands and	192 Visible veins on chest and abdomen 193 Hemorrhoids 194 Apprehension (feeling that something bad will happen) 195 Nervousness causing loss of appetite 196 Nervousness with indigestion 197 Gastritis 198 Forgetfulness 199 Thinning hair
1 2 3 4	Very easily fatigued Premenstrual tension Painful menses Depressed feelings before menstruation Menstruation excessive and prolonged Painful breasts IMPORT use list the five main complaints you have	206 207 208 209 210 211 212 212 214 214 215	order of their in	arge //ovaries te number 3) not flashes ty or missed at menses f long standing	Prostate trouble 214 Urination difficult or dribbling 215 Night urination frequent 216 Depression 217 Pain on inside of legs or heels 218 Feeling of incomplete bowel evacuation 219 Lack of energy 220 Migrating aches and pains 221 Tire too easily 222 Avoids activity 223 Leg nervousness at night Diminished sex drive
J					
BARNES THYROID TEST This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for		You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.			
exactly 10 minutes, making the prior positioning of both the thermometer and a clock important. PRE-MENSES FEMALES AND MENOPAUSAL FEMALES Any two days during the month FEMALES HAVING MENSTRUAL CYCLES The 2nd and 3rd day of flow OR any 5 days in a row MALES Any 2 days during the month			Date	Temperature Temperature Temperature Temperature Temperature	

Please list any medications you are taking:		☐ No Medications					
Please list any vitamins, herbs, or supplements you are t	taking:	☐ No Vitamins					
Please list any allergies you have:		☐ No Allergies					
·							
Please list any surgeries you have had in the past 12 mor	nths:	☐ No Recent Surgeries					
Please list any other surgeries or medical procedures yo	u have had:						
TO BE COMPLETED BY DOCTOR							
Blood Pressure: Recumbent	Standing						
Pulse: Recumbent	Standing						
Hema-Combistix Urine Readings: pH	Albumin % Glucose %						
Occult Blood pH of Saliva	pH of Stool Specimen						
Blood Clotting Time —————— Hemoglobin —	Blood Type V	Veight					

Use the letters listed below to indicate the type and location of your pain and sensations:

KEY

A = ACHE


B = BURNING

S = STABBING

N = NUMBNESS

P = PINS & NEEDLES

O = OTHER



PLEASE INDICATE THE LEVEL OF PAIN YOU ARE EXPERIENCING

NO PAIN SEVERE PAIN
0 1 2 3 4 5 6 7 8 9 10

Patient Signature _____ Date _____