Today's Date

Patient N	Name			Mother's	Name				
Patient NameAddress									
CityPostal Code Alberta Health Care #				Mother's Phone #					
Gender Age Date of Birth				Father's Occupation Father's Phone # Email					
IN CASE	E OF EMERGENCY, CO	ONTACT							
					I do not want to be co	ontacted vi	ia email		
	ahin								
Relationship Contact Number				Who ma	y we thank for referring	g you?			
Contact i	Number		 -,						
HOW	CAN WE HELP	YOUR (CHILD?						
_									
	Wellness Checkup								
	Other								
lf vour ch	hild is already experienc	cing a sym	nptom, please describe it:						
Does you Has anyo	one assessed your child	☐ Yes d's nervou a chiroprae	resses impact your family No s system? Yes No ctor in the past? Yes	lo 3 No		ction in soc	ial settings?		
Does you Has anyour Has your If yes, wh	one assessed your child received by a hen and for what reason to the second sec	Yes d's nervou a chiroprad n? RY	□ No Is system? □ Yes □ Notor in the past? □Yes □ abnormal stresses during	lo] No	egnancy? (check all th	at apply)			
Does you Has anyou Has your If yes, wh	one assessed your child received by a hen and for what reason the same of the	Yes d's nervou a chiroprad n?	□ No Is system? □ Yes □ No ctor in the past? □Yes □ abnormal stresses during	lo] No					
Does you Has anyour Has your If yes, wh PREG Did you e	one assessed your child record to hen and for what reason then are the second to he will be a second	Yes d's nervou a chiroprad n? Cations or a G F	No Is system? Yes Notor in the past? Yes Cabonormal stresses during Sestational Diabetes Satigue	y your pr	egnancy? (check all the Pre-Eclampsia Swelling	at apply)	Nausea/vomiting Other		
Does you Has anyour Has your If yes, wh	one assessed your child rechild been treated by then and for what reason then are considered as a second of the constant	Yes d's nervou a chiroprac n? CY cations or a G F	□ No Is system? □ Yes □ Notor in the past? □ Yes □ Babnormal stresses during Sestational Diabetes Catigue	J your pr	egnancy? (check all th Pre-Eclampsia Swelling	at apply)	Nausea/vomiting Other		
PREG Did you e	one assessed your child record to the control of th	Yes d's nervou a chiroprad n? Cations or a G F	No Is system? Yes Notor in the past? Yes Cabonormal stresses during Sestational Diabetes Satigue	y your pr	egnancy? (check all the Pre-Eclampsia Swelling	at apply)	Nausea/vomiting Other		
Does you Has anyour Has your If yes, wh PREG Did you e	one assessed your child record to the child been treated by the child been treated by the child been and for what reason to the child been to the child been treated and the child been treated as the child been treated by the child been treated by the child been treated as the child been treated by the child been treated as the child been treated as the child been treated by the child by the chil	Yes d's nervou a chiroprad n?	No Is system? Yes Notor in the past? Yes Cabonormal stresses during Sestational Diabetes Satigue	y your pr	egnancy? (check all the Pre-Eclampsia Swelling	at apply)	Nausea/vomiting Other		
Does you Has anyour Has your If yes, wh PREG Did you e	one assessed your child record to the child been treated by a hen and for what reason the control of the contro	Yes d's nervou a chiroprad n? Cations or a G F	□ No Is system? □ Yes □ Notor in the past? □Yes □ Babnormal stresses during sestational Diabetes atigue Birth Center Scheduled/Induced	y your pro	egnancy? (check all the Pre-Eclampsia Swelling Home Epidural	at apply)	Nausea/vomiting Other Normal/vaginal Breech		
Does you Has anyour Has your If yes, wh PREG Did you e	one assessed your child record to the child been treated by the child been treated by the child been and for what reason to the child been to the child been treated and the child been treated as the child been treated by the child been treated by the child been treated as the child been treated by the child been treated as the child been treated as the child been treated by the child by the chil	Yes d's nervou a chiroprad n?	No Is system? Yes Notor in the past? Yes Cabonormal stresses during Sestational Diabetes Satigue	y your pr	egnancy? (check all the Pre-Eclampsia Swelling	at apply)	Nausea/vomiting Other		

nfant feeding: Breast Bottle Formula	did your	child:		Quality of sle ☐ Gr	ep: eat erage	p each night:	
Respond to sound Stand		Crawl Sit unsup	ported_			Hold head up Walk unsupported	
AS your child ever suffer			·)?				
☐ Allergies ☐ Anemia ☐ Arm Pain ☐ Asthma ☐ Back Aches ☐ Bed Wetting ☐ Behavioral Problems		Broken Bones Chronic Ear Infections Cold/Flu Colic Seizures Delayed Speech Diabetes		Constipation Upset stomach Dizziness Fainting Headaches Heart Conditions Hyperactivity		Poor sleep Juvenile Arthritis Joint pains Leg Pains Neck Pain Growing pains Hip problems	Paralysis Poor Appetite Hernias Sinus infections Tuberculos Walking Problems
LLERGIES, MED	ICATI	JNS, SURGE	RIES	Medications		K I	
ırgeries (list)				Family Histor	y (list)		

CONSENT TO CHIROPRACTIC TREATMENT

It is important for you to consider the benefits, risks and alternatives to the treatment options offered by your chiropractor and to make an informed decision about proceeding with treatment.

Chiropractic treatment includes adjustment, manipulation and mobilization of the spine and other joints of the body, soft-tissue techniques such as massage, and other forms of therapy including, but not limited to, electrical or light therapy and exercise.

Benefits

Chiropractic treatment has been demonstrated to be effective for complaints of the neck, back and other areas of the body caused by nerves, muscles, joints and related tissues. Treatment by your chiropractor can relieve pain, including headache, altered sensation, muscle stiffness and spasm. It can also increase mobility, improve function, and reduce or eliminate the need for drugs or surgery.

Risks

The risks associated with the chiropractic treatment vary according to each patient's condition as well as the location and type of treatment.

The risks include:

- **Temporary worsening of symptoms** Usually, any increase in pre-existing symptoms of pain or stiffness with only last a few hours to a few days.
- **Skin irritation or burn** Skin irritation or a burn may occur in association with the use of some types of electrical or light therapy. Skin irritation should resolve quickly. A burn may leave a permanent scar.
- **Sprain or strain** Typically, a muscle or ligament sprain or strain will resolve itself within a few days or weeks with some rest, protection of the area affected and other minor care.
- **Rib fracture** While a rib fracture is painful and can limit your activity for a period of time, it will generally heal on its own over a period of several weeks without further treatment or surgical intervention.
- Injury or aggravation of a disc Over the course of a lifetime, spinal discs may degenerate or become damaged. A disc can degenerate with aging, while disc damage can occur with common daily activities such as bending or lifting. Patients who already have a degenerated or damaged disc may or may not have symptoms. They may not know they have a problem with a disc. They also may not know their disc condition is worsening because they only experience back or neck problems once in a while.

Chiropractic treatment should not damage a disc that is not already degenerated or damaged, but if there is a pre-existing disc condition, chiropractic treatment, like many common daily activities, may aggravate the disc condition.

The consequences of disc injury or aggravating a pre-existing disc condition will vary with each patient. In the most severe cases, patient symptoms may include impaired back or neck mobility, radiating pain and numbness into the legs or arms, impaired bowel or bladder function, or impaired leg or arm function. Surgery may be needed.

<u>Stroke</u> — Blood flows to the brain through two sets of arteries passing through the neck.
These arteries may become weakened and damaged, either over time through aging or disease, or as a result of injury. A blood clot may form in a damaged artery. All or part of the clot may break off and travel up the artery to the brain where it can interrupt blood flow and cause a stroke.

Many common activities of daily living involving ordinary neck movements have been associated with stroke resulting from damage to an artery in the neck, or a clot that already existed in the artery breaking off and travelling up to the brain.

Chiropractic treatment has been associated with stroke. However, that association occurs very infrequently, and may be explained because an artery was already damaged and the patient was progressing toward a stroke when the patient consulted the chiropractor. Present medical and scientific evidence does not establish that chiropractic treatment causes either damage to an artery or stroke.

The consequences of a stroke can be very serious, including significant impairment of vision, speech, balance and brain function, as well as paralysis or death.

Alternatives

Alternatives to chiropractic treatment may include consulting other health professionals. Your chiropractor may also prescribe rest without treatment, or exercise with or without treatment.

Questions or Concerns

You are encouraged to ask questions at any time regarding your assessment and treatment. Bring any concerns you have to the chiropractor's attention. If you are not comfortable, you may stop treatment at any time.

Please be involved in and responsible for your care. Inform your chiropractor immediately of any change in your condition.

DO NOT SIGN THIS FORM UNTIL YOU MEET WITH THE CHIROPRACTOR					
I hereby acknowledge that I have discussed with treatment plan. I understand the nature of the trand risks of treatment, as well as the alternatives proposed to me.	reatment to be provide	d to me. I have considered the benefits			
Name (Please Print)					
Signature of patient (or legal guardian)	Date:	20			
Signature of Chiropractor	Date:	20			