

# Certificate of Analysis

Nov 06, 2020 | Candelay Industries

702 Rockland Rd Rockland, DE, 19732, US

#### **Kaycha Labs**

RediMix Full-Spectrum Oil 75mg/m

Matrix: Derivative



Sample:MO01102023-001 Harvest/Lot ID: LFSMMP091020

> Seed to Sale #N/A Batch Date: 10/09/20

Batch#: 100017 Sample Size Received: 16 ml

Retail Product Size: 33 ml Ordered: 10/27/20 Sampled: 10/27/20

Completed: 11/06/20 Expires: 11/06/21 Sampling Method: SOP Client Method

## **PASSED**

Page 1 of 5



PRODUCT IMAGE



SAFETY RESULTS





Heavy Metals

**PASSED** 



Microbials

**PASSED** 



PASSED



Solvents

**PASSED** 



**PASSED** 



Water Activity

**NOT TESTED** 



Moisture

**NOT TESTED** 



Terpenes

TESTED

MISC.

Pesticides **PASSED** 

CANNABINOID RESULTS

**Total THC** 0.200%



**Total CBD** 7.489%




**Total Cannabinoids** 7.874%



**PASSED** 

Analyzed By	Weight	Ext	raction date	Extracted	Ву
564	1g	NA			NA
Analyte				LOD	Result
Filth and Foreign	Material			0.3	ND
Analysis Method -SOP.T.40.013			Batch Date:	11/03/20 09:3	9:43
Analytical Batch -MO001358FIL		Reviewed On	- 11/05/20 11	:13:11	
Instrument Use	d : Microsco	ре			
Bunning On I					



#### **Cannabinoid Profile Test**

Analyzed by	Weight	Extraction da	ate:	Extracted By :	
19	1.5090g	NA		NA	
Analysis Method -SOP.7	.40.020, SOP.T.30.050	Reviewed On - 11/06	/20 10:06:54	Batch Date: 11/02/20 15:52:42	
Analytical Batch -MOOO	1350POT Instrument I	Isad · HDI C Potency An	alyzer Punning	n On :	

Reagent Dilution Consums, ID

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L). Measurement of Uncertainty: 2.7%

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**David Greene** 

Lab Director

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164



11/06/2020

Signed On Signature



#### **Kaycha Labs**

RediMix Full-Spectrum Oil 75mg/m

Matrix: Derivative



# **Certificate of Analysis**

**Candelay Industries** 

702 Rockland Rd Rockland, DE, 19732, US Telephone: (717) 449-1518

Email: wbowden@americanfiber.com

Sample: M001102023-001 Harvest/LOT ID: LFSMMP091020

Batch#:100017 Sampled: 10/27/20 Ordered: 10/27/20

Sample Size Received: 16 ml

Completed: 11/06/20 Expires: 11/06/21 Sample Method: SOP Client Method

**PASSED** 

Page 2 of 5



### Terpenes

## **TESTED**

ALPHA   0,005	Terpenes	LOD	Units	-	Result (%)	Terpenes	LOD	Units		Result (%)	
NEROLIDOL   Section   Se		0.005	%	ND		CIE	0.005	0/	ND	ND	
GERANIOL   0.005	FENCHONE	0.01	%	ND			0.005	70	ND	ND	
ALCOHOL   ALCO	GAMMA-TERPINENE	0.005	%	ND		3-CARENE	0.005	%	ND	ND	
Mail	GERANIOL	0.005	%	ND			0.005	%	ND	ND	
Main	GERANYL ACETATE	0.01	%	ND		/ / / / / / /			/	1\	
LIMONENE 0.005 % ND ND ISOBORNEOL 0.005 % ND	GUAIOL	0.005	%	0.010			0.005	%	ND	ND	
NEROL   0.005	LIMONENE	0.005	%	ND			0.005	%	ND	ND	
ND   ND   ND   ND   ND   ND   ND   ND	LINALOOL	0.01	%	ND		ISOBORNEOL	0.005	%	ND	ND	
PULEGONE   0.005   % ND   ND   SABINENE   0.005   % ND   ND   ND   ND   ND   ND   ND	NEROL	0.005	%	ND		1 1					
Terpenes   Tested	OCIMENE	0.005	%	ND							
SABINENE HYDRATE   0.01	PULEGONE	0.005	%	ND			-	$\rightarrow \wedge \times$	$\rightarrow \times \times$	$\times \times \times$	$\overline{}$
ND	SABINENE	0.005	%	ND		2	Torn	ones		TEC	TEB
ND   ND   ND   ND   ND   ND   ND   ND	SABINENE HYDRATE	0.01	%	ND		(C)	Tell	elles		IES	IED
ND	TERPINEOL	0.005	%	ND		8					
Analyzed by   Weight   Extraction date   Extracted By   TRANS-NEROLIDOL   0.005   %   ND   18   1.030g   11/03/20 08:11:59   18   18   18   1.030g   11/03/20 08:11:59   18   18   18   18   19   11/03/20 08:11:59   18   18   18   18   19   11/03/20 08:11:59   18   18   18   18   19   11/03/20 08:11:59   18   18   18   18   19   19   19   1	TERPINOLENE	0.005	%	ND			// /	///	/ \ / \		// /
VALENCENE CEDROL O.005 % ND ALPHA-HUMULENE O.005 % ND ALPHA-HUMULENE O.005 % ND ALPHA-PINENE O.005 % ND ALPHA-PINENE O.005 % ND ALPHA-TERPINENE O.005 % ND BETA-MYRCENE BETA-PINENE O.005 % ND BORNEOL O.01 CAMPHENE O.005 % ND CAMPHENE O.005 % ND CAMPHOR O.01 CARYOPHYLLENE OXIDE ALPHA-CEDRENE OXIDE ALPHA-CEDRENE OXIDE ALPHA-CEDRENE OXIDE AND AND Analysis Method -SOP.T.40.090 Analytical Batch -M0001355TER Reviewed On - 11/03/20 10:24:18 Instrument Used : GCMS8050 with Liquid Handler Running On : Batch Date : 11/03/20 08:51:17  Reagent Dilution Consums. ID  Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquid Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS. ALPHA-BISABOLOL OXIDE ALPHA-BISABOLOL OXIDE AND OXIDE OXID		0.005	%	ND		Analyzed b	by We	eight Exti	raction da	te Extract	ed By
Analysis Method -SOP.T.40.090 Analytical Batch -M0001355TER Reviewed On - 11/03/20 10:24:18 ALPHA-PINENE 0.005 % ND Instrument Used : GCMS8050 with Liquid Handler ALPHA-TERPINENE 0.005 % ND BETA-MYRCENE 0.005 % ND BETA-PINENE 0.005 % ND BETA-PINENE 0.005 % ND BORNEOL 0.01 % ND CAMPHENE 0.005 % ND CAMPHOR 0.01 % ND CARYOPHYLLENE 0.005 % ND CARYOPHYLLENE 0.005 % ND ALPHA-GEDRENE 0.005 % ND ALPHA-GEDRENE 0.005 % ND ALPHA-GEDRENE 0.005 % ND ALPHA-BISABOLOL 0.005 % ND AND ALPHA-BISABOLOL 0.005 % ND AND AND AND AND AND AND AND AND AND A	TRANS-NEROLIDOL	0.005	%	ND		18	1.03	30g 11/03	/20 08:11:59	18	
Analytical Batch -MO001355TER Reviewed On - 11/03/20 10:24:18 Alpha-Humulene 0.005 % ND Alpha-Pinene 0.005 % ND Alpha-Terpinene 0.005 % ND BETA-MYRCENE 0.005 % ND BETA-PINENE 0.005 % ND BORNEOL 0.01 % ND CAMPHENE 0.005 % ND CAMPHOR 0.01 % ND CARYOPHYLLENE 0XIDE ALPHA-CEDRENE 0.005 % ND Alpha-GEDRENE 0.005 % ND Alpha-BISABOLOL 0.005 % ND Analytical Batch -MO001355TER Reviewed On - 11/03/20 10:24:18 Instrument Used : GCMS8050 with Liquid Handler Running On : Batch Date : 11/03/20 08:51:17  Reagent Dilution Consums. ID  Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquid Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.  ALPHA-BISABOLOL 0.005 % ND	VALENCENE	0.005	%	ND		Analosis M	Albert CO	D T 40 000			
ALPHA-HUMULENE 0.005 % ND ALPHA-PINENE 0.005 % ND BETA-MYRCENE 0.005 % ND BETA-PINENE 0.005 % ND BETA-PINENE 0.005 % ND BORNEOL 0.01 % ND CAMPHENE 0.005 % ND CAMPHOR 0.01 % ND CARYOPHYLLENE 0XIDE ALPHA-CEDRENE 0.005 % ND ALPHA-CEDRENE 0.005 % ND ALPHA-BISABOLOL 0.005 % ND ALPHA-BISABOLOL 0.005 % 0.015	CEDROL	0.005	%	ND		1			\	- d O 11/02/20	10.24.10
Running On: BETA-MYRCENE 0.005 % ND BETA-MYRCENE 0.005 % ND BETA-PINENE 0.005 % ND BORNEOL 0.01 % ND CAMPHENE 0.005 % ND CAMPHENE 0.005 % ND CAMPHOR 0.01 % ND CARYOPHYLLENE OXIDE ALPHA-CEDRENE 0.005 % ND ALPHA-CEDRENE 0.005 % ND ALPHA-BISABOLOL 0.005 % 0.015	ALPHA-HUMULENE	0.005	%	ND							10:24:18
BETA-MYRCENE 0.005 % ND  BETA-PINENE 0.005 % ND  BORNEOL 0.01 % ND  CAMPHENE 0.005 % ND  CAMPHOR 0.01 % ND  CARYOPHYLLENE OXIDE  ALPHA-CEDRENE 0.005 % ND  ALPHA-BISABOLOL 0.005 % ND  Batch Date : 11/03/20 08:51:17  Reagent Dilution Consums. ID  Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquic Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.  ALPHA-BISABOLOL 0.005 % ND	ALPHA-PINENE	0.005	%	ND				CMS8050 WIT	in Liquid Ha	andier	
BETA-PINENE 0.005 % ND BORNEOL 0.01 % ND CAMPHENE 0.005 % ND CAMPHOR 0.01 % ND CARYOPHYLLENE OXIDE ALPHA-CEDRENE 0.005 % ND ALPHA-BISABOLOL 0.005 % 0.015  Reagent Dilution Consums. ID  Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquic Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.	ALPHA-TERPINENE	0.005	%	ND				0.00-51-17			
BORNEOL 0.01 % ND  CAMPHENE 0.005 % ND  CAMPHOR 0.01 % ND  CARYOPHYLLENE OXIDE  ALPHA-BISABOLOL 0.005 % ND  Reagent Dilution Consums. ID  Consums. ID  Consums. ID  Consums. ID  Consums. ID  Consums. ID  Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquic Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.	BETA-MYRCENE	0.005	%	ND		Batch Date	: 11/03/2	0 08:51:17			
CAMPHENE 0.005 % ND  CAMPHOR 0.01 % ND  CARYOPHYLLENE OXIDE  ALPHA-BISABOLOL 0.005 % ND  CARYOPHSULENE OXIDE  ALPHA-BISABOLOL 0.005 % ND  CARYOPHSULENE OXIDE  ND  Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquic Injection (Gas Chromatography – Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.	BETA-PINENE	0.005	%	ND		Bonnont		Dilution	/ Co	nauma ID	
CAMPHOR 0.01 % ND Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquic Injection (Gas Chromatography – Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.  ALPHA-BISABOLOL 0.005 % 0.015	BORNEOL	0.01	%	ND		Reagent		Dilution	Co	nsums. ID	
CARYOPHYLLENE O.005 % ND Injection (Gas Chromatography – Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-ALPHA-EISABOLOL 0.005 % ND MS/MS.	CAMPHENE	0.005	%	ND							
OXIDE screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.  ALPHA-CEDRENE 0.005 % ND MS/MS.  ALPHA-BISABOLOL 0.005 % 0.015	CAMPHOR	0.01	%	ND							
ALPHA-BISABOLOL 0.005 % 0.015		0.005	%	ND		screen 37 te					
	ALPHA-CEDRENE	0.005	%	ND		MS/MS.					
ISOPULEGOL 0.01 % ND		0.005	%	0.015							
	ALPHA-BISABOLOL										

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**David Greene** 

Lab Director

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164

11/06/2020

Signature Signed On



#### Kaycha Labs

RediMix Full-Spectrum Oil 75mg/m

Matrix: Derivative



# **Certificate of Analysis**

**Candelay Industries** 

702 Rockland Rd Rockland, DE, 19732, US Telephone: (717) 449-1518

Email: wbowden@americanfiber.com

Sample: MO01102023-001 Harvest/LOT ID: LFSMMP091020

Batch#:100017 Sampled: 10/27/20 Ordered: 10/27/20

Sample Size Received: 16 ml

Completed: 11/06/20 Expires: 11/06/21 Sample Method: SOP Client Method

**PASSED** 

Page 3 of 5



### **Pesticides**

## **PASSED**

PASSED

Pesticides	LOD	Units	Action Level	Resi
ABAMECTIN B1A	0.020	ppm	0.5	ND
ACEPHATE	0.010	ppm	0.5	ND
ACEQUINOCYL	0.02	ppm	2	0.899
ACETAMIPRID	0.010	ppm	0.2	ND
ALDICARB	0.020	ppm	0.4	ND
AZOXYSTROBIN	0.010	ppm	0.2	ND
BIFENAZATE	0.010	ppm	0.2	ND
BIFENTHRIN	0.010	ppm	0.2	ND
BOSCALID	0.005	ppm	0.4	ND
CARBARYL	0.010	ppm	0.2	ND
CARBOFURAN	0.010	ppm	0.2	ND
CHLORANTRANILIPROLE	0.010	ppm	0.2	ND
CHLORPYRIFOS	0.010	ppm	0.2	ND
CLOFENTEZINE	0.010	ppm	0.2	ND
COUMAPHOS	0.005	ppm	0.2	ND
CYPERMETHRIN	0.010	ppm	1	ND
DAMINOZIDE	0.010	ppm	1	ND
DIAZANON	0.010	ppm	0.2	ND
DICHLORVOS	0.050	ppm	0.1	ND
DIMETHOATE	0.010	ppm	0.2	ND
DIMETHOMORPH	0.005	ppm	0.1	ND
ETHOPROPHOS	0.010	ppm	0.2	ND
ETOFENPROX	0.010	ppm	0.4	ND
ETOXAZOLE	0.010	ppm	0.2	ND
FENHEXAMID	0.005	ppm	0.1	ND
FENOXYCARB	0.010	ppm	0.2	ND
FENPYROXIMATE	0.010	ppm	0.4	ND
FIPRONIL	0.020	ppm	0.4	ND
FLONICAMID	0.010	ppm	1	ND
FLUDIOXONIL	0.010	ppm	0.4	ND
HEXYTHIAZOX	0.010	ppm	1	ND
IMAZALIL	0.010	ppm	0.2	ND
IMIDACLOPRID	0.010	ppm	0.4	ND
KRESOXIM-METHYL	0.010	ppm	0.4	ND
MALATHION	0.010	ppm	0.2	ND
METALAXYL	0.010	ppm	0.2	ND
METHIOCARB	0.010	ppm	0.2	ND
METHOMYL	0.010	ppm	0.6	ND
MEVINPHOS	0.010	ppm	0.1	ND
MYCLOBUTANIL	0.010	ppm	0.2	ND
NALED	0.010	ppm	0.5	ND
OXAMYL	0.010	ppm	1	ND
PACLOBUTRAZOL	0.010	ppm	0.4	ND
PERMETHRINS	0.050	ppm	1	ND
PHOSMET	0.010	ppm	0.2	ND
PIPERONYL BUTOXIDE	0.010	ppm	3	ND

Pesticides	LOD	Units	Action Level	Result	
PRALLETHRIN	0.050	ppm	0.2	ND	
PROPICONAZOLE	0.010	ppm	0.4	ND	
PROPOXUR	0.010	ppm	0.2	ND	
PYRETHRIN I	0.010	ppm	1	ND	
PYRIDABEN	0.005	ppm	0.2	ND	
SPINETORAM	0.005	ppm	0.5	ND	
SPINOSAD (SPINOSYN	<b>A)</b> 0.010	ppm	0.2	ND	
SPINOSAD (SPINOSYN	<b>D)</b> 0.010	ppm	0.2	ND	
SPIROMESIFEN	0.010	ppm	0.2	ND	
SPIROTETRAMAT	0.020	ppm	0.2	ND	
SPIROXAMINE	0.010	ppm	0.4	ND	
TEBUCONAZOLE	0.010	ppm	0.4	ND	
THIACLOPRID	0.010	ppm	0.2	ND	
THIAMETHOXAM	0.010	ppm	0.5	ND	
TRIFLOXYSTROBIN	0.010	ppm	0.2	ND	

Analyzed by	Weight	Extraction date	Extracted By
564	1g	11/03/20 09:11:20	564

Analysis Method - SOP.T.30.060, SOP.T.40.060 , Analytical Batch - M0001357PES Instrument Used : LCMSMS 8060 P

Running On:

Batch Date: 11/03/20 09:33:44

**Pesticides** 

Reagent	Dilution	Consums, I

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 57 Pesticides. (Method: SOP.T.30.060 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.060 Procedure for Pesticide Quantification Using LCMS).\*

Reviewed On- 11/05/20 11:13:11

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

**David Greene** 

Lab Director

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164

11/06/2020

Signature Signed On



#### Kaycha Labs

RediMix Full-Spectrum Oil 75mg/m

Matrix: Derivative



# **Certificate of Analysis**

**Candelay Industries** 

702 Rockland Rd Rockland, DE, 19732, US Telephone: (717) 449-1518

Email: wbowden@americanfiber.com

Sample: MO01102023-001 Harvest/LOT ID: LFSMMP091020

Batch#:100017 Sampled: 10/27/20 Ordered: 10/27/20

Sample Size Received: 16 ml

Completed: 11/06/20 Expires: 11/06/21 Sample Method: SOP Client Method

**PASSED** 

Page 4 of 5



#### **Residual Solvents**

### **PASSED**



#### **Residual Solvents**

**PASSED** 

Solvent	LOD	Units	Action Level (PPM)	Pass/Fail	Result
TRICHLOROETHENE	3	ppm	80	PASS	ND
CHLOROFORM	0.24	ppm	60	PASS	ND
1,2-DICHLOROETHENE	0.24	ppm	1870	PASS	ND
1,1-DICHLOROETHENE	2	ppm	8	PASS	ND
PENTANES	90	ppm	2500	PASS	ND
BUTANES (N-BUTANE)	50	ppm	5000	PASS	ND
ACETONITRILE	7.2	ppm	410	PASS	ND
ACETONE	90	ppm	5000	PASS	ND
2-PROPANOL	60	ppm	5000	PASS	ND
HEXANES	6	ppm	290	PASS	ND
XYLENES	18	ppm	2170	PASS	ND
TOLUENE	18	ppm	1068	PASS	ND
PROPANE	80	ppm	5000	PASS	ND
METHANOL	30	ppm	3000	PASS	ND
HEPTANE	60	ppm	5000	PASS	ND
XYLENES-P (1,4- DIMETHYLBENZENE)	18	ppm	2170	PASS	ND
ETHYLENE OXIDE	0.6	ppm	50	PASS	ND
XYLENES-M (1,3- DIMETHYLBENZENE)	18	ppm	2170	PASS	ND
ETHYL ETHER	60	ppm	5000	PASS	ND
XYLENES-O (1,2- DIMETHYLBENZENE)	18	ppm	2170	PASS	ND
ETHYL ACETATE	48	ppm	5000	PASS	ND
ETHANOL	120	ppm	5000	PASS	ND
DICHLOROMETHANE	15	ppm	600	PASS	ND

	49,		44
Analyzed by	Weight	Extraction date	Extracted By

y 0.021q 11/03/20 08:11:58 Analysis Method -SOP.T.40.032 Analytical Batch -MO001354SOL Reviewed On - 11/03/20 10:37:39

Instrument Used: GCMS2010 Running On:

Batch Date: 11/03/20 08:50:26

Dilution Reagent Consums, ID

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 33 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**David Greene** 

Lab Director

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164



11/06/2020

Signature Signed On



#### **Kaycha Labs**

RediMix Full-Spectrum Oil 75mg/m

Matrix: Derivative



## **Certificate of Analysis**

LOD

**Candelay Industries** 

702 Rockland Rd Rockland, DE, 19732, US

Telephone: (717) 449-1518 Email: wbowden@americanfiber.com Sample: MO01102023-001 Harvest/LOT ID: LFSMMP091020

Batch#:100017 Sampled: 10/27/20

Ordered: 10/27/20

Sample Size Received: 16 ml

Completed: 11/06/20 Expires: 11/06/21 Sample Method: SOP Client Method

**PASSED** 

Page 5 of 5

(F
----

#### **Microbials**

### PASSED

not present in 1 gram.

not present in 1 gram.

not present in 1 gram.



### Mycotoxins

## **PASSED**

**Analyte** ASPERGILLUS TERREUS 1J2 ASPERGILLUS\_NIGER ASPERGILLUS\_FUMIGATUS ASPERGILLUS\_FLAVUS SALMONELLA\_SPECIFIC\_GENE

ESCHERICHIA\_COLI\_SHIGELLA\_SPP

Analysis Method -SOP.T.40.043 Analytical Batch -NA Batch Date :

Instrument Used : Running On:

Analyzed	by
NA	

Weight

**Extraction date** 

**Extracted By** 

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus figer, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

~~				
Result Analyte	LOD	Units	Result	Action Level (PPM)
not present in 1 gram. AFLATOXIN G2	0.001	ppm	ND	0.02
not present in 1 gram. AFLATOXIN G1	0.001	ppm	ND	0.02

not present in 1 gram. AFLATOXIN B2 0.001 ppm ND 0.02 AFLATOXIN B1 0.001 0.02 ppm OCHRATOXIN A+ 0.001 ppm 0.02

Analysis Method -SOP.T.30.060, SOP.T.40.060 Analytical Batch - | Reviewed On - 11/03/20 13:24:51 Instrument Used:

Running On: Batch Date :

Analyzed by

Weight

**Extraction date** 

**Extracted By** 

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.060 for Sample Preparation and SOP.T40.060 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflotoxin B1, B2, G1, G2) must be <20μg/Kg. Ochratoxins must be <20μg/Kg



#### **Heavy Metals**

PASSED

#### Reagent

110119.52 110119.44

112519.01 110119.36

Metal	LOD	Unit	Result	Action Level (PPM)
ARSENIC	0.02	ppm	ND	10
CADMIUM	0.02	ppm	ND	4.1
LEAD	0.02	ppm	ND	10
MERCURY	0.02	ppm	ND	2

Analyzed by Weight **Extraction date Extracted By** 0.502g 11/03/20 08:11:41

Analysis Method -SOP.T.40.050, SOP.T.30.052

Analytical Batch -MO001352HEA | Reviewed On - 11/03/20 10:44:38

Instrument Used: ICP-MS 2030

Running On:

Batch Date: 11/03/20 08:47:32

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS. \*Action Limits based on Colorado Regulations.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

#### **David Greene**

Lab Director

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164



11/06/2020

Signature

Signed On