



# Health Assessment Questionnaire with LRA by ELISA/ACT® Tests

ONLY FILL OUT QUESTIONNAIRE IF RECOMMENDATIONS ARE REQUESTED.

PATIENT'S NAME: \_\_\_\_\_ DATE: \_\_\_\_\_

**INSTRUCTIONS:** Use the following numbers to indicate the degree of severity of the symptoms or conditions listed below.

0 - None      1 - Mildly or least      2 - Moderately or mid      3 - Greatly or most

Answer only those questions that apply to your case; do not write "NO" when a question does not apply.

IF ONLY PART OF THE QUESTION APPLIES, UNDERScore THAT PART.

PLEASE RETURN THIS FORM WITH THE BLOOD SAMPLE.

## I. GASTROINTESTINAL INDICATIONS

### Section A

- ☐0 ☐1 ☐2 ☐3 Distress from fats or greasy foods (nausea, dizziness, headaches, etc.).
- ☐0 ☐1 ☐2 ☐3 Distress from onions, cabbage, radishes, cucumbers (bloating, gas, etc.).
- ☐0 ☐1 ☐2 ☐3 Stool appears yellow or clay-colored, is foul-odored, shows undigested foods.
- ☐0 ☐1 ☐2 ☐3 Skin is grayish, pasty, oily on nose and forehead.
- ☐0 ☐1 ☐2 ☐3 Have had jaundice, hepatitis.
- ☐0 ☐1 ☐2 ☐3 Bad breath, bad taste in mouth, body odor (including feet).
- ☐0 ☐1 ☐2 ☐3 Unusual redness on palms of hands.
- ☐0 ☐1 ☐2 ☐3 Unaccountable burning on soles of feet.
- ☐0 ☐1 ☐2 ☐3 Varicose veins, hemorrhoids ("piles"), phlebitis, veins showing on chest or stomach (blush areas).
- ☐0 ☐1 ☐2 ☐3 Able to go all day without urinating, diminished urination.
- ☐0 ☐1 ☐2 ☐3 Long history of constipation.
- ☐0 ☐1 ☐2 ☐3 "Flabby" flesh, underarm or stomach hangs.

### Section B

- ☐0 ☐1 ☐2 ☐3 Indigestion 2 to 3 hours after each meal (fullness, bloating, sourness, etc.).
- ☐0 ☐1 ☐2 ☐3 Heavy, full logy feeling after eating a meat meal.
- ☐0 ☐1 ☐2 ☐3 Loss of former taste or craving for meat.
- ☐0 ☐1 ☐2 ☐3 Excessive lower bowel gas (flatulence).
- ☐0 ☐1 ☐2 ☐3 Long history of being anemic, frequent treatment for anemia.
- ☐0 ☐1 ☐2 ☐3 History of constipation alternating with diarrhea (bowels "too loose or too tight").

### Section C

- ☐0 ☐1 ☐2 ☐3 Stomach pain occurs after eating, especially at night, and is relieved by drinking milk or cream.
- ☐0 ☐1 ☐2 ☐3 Above symptoms flare up in spring and fall of the year (seasonal occurrence).
- ☐0 ☐1 ☐2 ☐3 Have been told you have stomach "ulcers."
- ☐0 ☐1 ☐2 ☐3 Above symptoms aggravated by worry and tension, relieved by vacationing.

### Section D

- ☐0 ☐1 ☐2 ☐3 Diarrhea occurs frequently or is resistant to treatment.
- ☐0 ☐1 ☐2 ☐3 Roughage in diet aggravates diarrhea.
- ☐0 ☐1 ☐2 ☐3 Mucous shreds appear in stool.
- ☐0 ☐1 ☐2 ☐3 Have more than three bowel movements per day.
- ☐0 ☐1 ☐2 ☐3 Have been told you have ulcerative or mucous colitis.

### Section E

- ☐0 ☐1 ☐2 ☐3 Indigestion occurs soon after eating.
- ☐0 ☐1 ☐2 ☐3 Indigestion is acute, comes on suddenly.
- ☐0 ☐1 ☐2 ☐3 Indigestion is relieved by soft drinks.
- ☐0 ☐1 ☐2 ☐3 Have difficulty belching, stomach cramps, colicky, "butterfly" sensations in stomach.
- ☐0 ☐1 ☐2 ☐3 Above symptoms aggravated by stress.

PATIENT'S NAME: \_\_\_\_\_

0 - None

1 - Mildly or least

2 - Moderately or mid

3 - Greatly or most

## **2. FUNCTIONAL INDICATIONS - HEART, LUNGS, NERVES, BLOOD VESSELS**

### **Section A**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Eyes are sensitive to bright lights, need to wear sunglasses for comfort.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Tightness in throat, painful "lump" occasionally.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Form "gooseflesh" easily, sweat without temperature rise, "cold sweats."
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Voice rises to high pitch or is lost during stressful moments (arguments, public appearances, etc.).
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Easily shaken up, easily startled, heart pounds hard from unexpected noise.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Prefer being alone, uneasy when "center of attention."
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Blood pressure fluctuates, has been "too high" on occasion.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Asthma or wheezes

### **Section B**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Have always had low or normal blood pressure.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Known as "perfectionist" or come from "high-strung family."
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Tend to work off worries, something left undone causes unusual concerns.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Tend to avoid complaints, try to ignore discomforts and inconveniences.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Have had frequent or severe attacks of pneumonia, bronchitis, flu, sinusitis, or colds.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Have had allergic responses such as skin rash, dermatitis, hay fever, severe sneezing attacks, asthma, etc.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Emotional storms cause exhaustion (must go lie down under heavy stress).
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Perspire excessively.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Skin takes on a brownish color, brown spots on skin ("liver spots").
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Painful finger joints, rheumatoid arthritis, or morning stiffness.

### **Section C**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Persistent high blood pressure.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Stronger than average physically.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Strong feelings, tendency to "blow up," dislike of being crossed.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 FEMALE: Excessive hair on face, arms, and legs, appearance on masculine side.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 MALE: Baldness, excessive hair on arms and back, muscular square build, aggressive in business and sports.

### **Section D**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Unable to hold your breath for 20 seconds (use second hand on watch to time).
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Sigh and yawn frequently.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Have a feeling of suffocation, open windows in closed rooms.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Feel short of breath at times, even though not exercising.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Feel breathless when under stress.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Breathe loudly (people notice), heard breathing in quiet rooms.

## **3. METABOLIC RATE / HORMONAL INDICATIONS**

### **Section A**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Muscles stiff in the morning, feel a need to limber up, feel "creaky" after sitting still for a period of time.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Feel dizzy or nauseated in the morning.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Experience motion sickness when traveling, dizziness when changing up and down positions.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Heart occasionally seems to miss beats or "turn flip flops."
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 The following symptoms are worse at night: coughing, hoarseness, muscle cramps.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Insomnia, restlessness, failing memory, forgetfulness.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Feel better in afternoon, worse in morning.
- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Have an unusual craving for salt.

PATIENT'S NAME: \_\_\_\_\_

0 - None	1 - Mildly or least	2 - Moderately or mid	3 - Greatly or most
----------	---------------------	-----------------------	---------------------

#### Section B

- ☐0 ☐1 ☐2 ☐3 "Go to pieces" easily, dislike working under pressure or being watched, cry easily.
- ☐0 ☐1 ☐2 ☐3 Gain weight, fail to lose on diets, tend to "retain water" easily.
- ☐0 ☐1 ☐2 ☐3 Long history of chronic constipation.
- ☐0 ☐1 ☐2 ☐3 Feel better mornings, worse afternoons.
- ☐0 ☐1 ☐2 ☐3 Difficulty concentrating, easily distracted.
- ☐0 ☐1 ☐2 ☐3 Outer third of eyebrow hair unusually thin or missing.

#### Section C

- ☐0 ☐1 ☐2 ☐3 Heartbeats above 90 beats per minute when at complete rest.
- ☐0 ☐1 ☐2 ☐3 Protruding tongue quivers (check in mirror), hands shake, tremor (hold paper to check).
- ☐0 ☐1 ☐2 ☐3 Energy spurts followed by exhaustion (repeated in cycles).
- ☐0 ☐1 ☐2 ☐3 Have strong, healthy teeth.
- ☐0 ☐1 ☐2 ☐3 Have a good appetite, but fail to gain weight in spite of food increase.
- ☐0 ☐1 ☐2 ☐3 Have fine features, thin skin, thin hair.
- ☐0 ☐1 ☐2 ☐3 Erratic behavior, "flighty."
- ☐0 ☐1 ☐2 ☐3 Poor balance (close your eyes and stand on one leg).

### 4. HORMONE / ENZYME INDICATIONS

#### FEMALE:

- ☐0 ☐1 ☐2 ☐3 Has a diagnosis/risk of osteoporosis.
- ☐0 ☐1 ☐2 ☐3 Irregular or uncomfortable menstrual periods.
- ☐0 ☐1 ☐2 ☐3 Menopause symptoms (hot flashes, etc.).
- ☐0 ☐1 ☐2 ☐3 Before periods, feel nervous, depressed, "bloated."
- ☐0 ☐1 ☐2 ☐3 Excessive menstruation

#### MALE:

- ☐0 ☐1 ☐2 ☐3 Difficulty urinating (slow starting, burning during, need to get up at night).
- ☐0 ☐1 ☐2 ☐3 Associate the above with back or leg pains or with constipation.
- ☐0 ☐1 ☐2 ☐3 Have/had prostate trouble or surgery.
- ☐0 ☐1 ☐2 ☐3 Have/had painful, green, or mucous discharge from the penis.

#### MALE AND FEMALE:

- ☐0 ☐1 ☐2 ☐3 Muscle weakness, weak grip, weak legs, objects feel unusually heavy.
- ☐0 ☐1 ☐2 ☐3 Muscle wasting
- ☐0 ☐1 ☐2 ☐3 Sharp pains in chest after exercising.
- ☐0 ☐1 ☐2 ☐3 Numbness or loss of sensation.
- ☐0 ☐1 ☐2 ☐3 Night sweats, wake up frightened.
- ☐0 ☐1 ☐2 ☐3 Objects fall from hands, reach in the wrong places for things.
- ☐0 ☐1 ☐2 ☐3 Blurred vision, bloodshot eyes, feeling of sand or grit in eyes.
- ☐0 ☐1 ☐2 ☐3 Redness or irritation of nostrils, corners of mouth cracked, irritated.
- ☐0 ☐1 ☐2 ☐3 Lost or diminished sex drive.

### 5. FLUID / BALANCE INDICATIONS

#### Section A

- ☐0 ☐1 ☐2 ☐3 Feel drowsy, chronic fatigue.
- ☐0 ☐1 ☐2 ☐3 Cold hands and feet, wear extra clothing, bedclothing, use heating pads to keep warm.
- ☐0 ☐1 ☐2 ☐3 Short of breath climbing stairs.
- ☐0 ☐1 ☐2 ☐3 Require extra sleep.
- ☐0 ☐1 ☐2 ☐3 Feel better when resting, lowered endurance, low exercise tolerance.

PATIENT'S NAME: \_\_\_\_\_

0 - None	1 - Mildly or least	2 - Moderately or mid	3 - Greatly or most
----------	---------------------	-----------------------	---------------------

**Section B**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Have been treated for heat prostration, feel uncomfortable in or dislike hot weather.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Ankles swell in hot weather.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Ankles swell in afternoon, improve in morning.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Perspire excessively in hot weather (more than others).  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Use very little salt, restricting salt in diet.

**6. SKIN / IMMUNE SYSTEM INDICATIONS**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Bruise easily, "black and blue spots."  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Have/had protein or albumin in urine, kidney trouble.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Irritated skin, chapped lips, cracked skin on hands.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Fungus under nails of hands or feet.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Skin is rough, dry, scaly, or "lumpy."  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Discharge from eyes, "sand" on lids in the morning.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Burning or itching when urinating.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Swelling of glands in neck (salivary).  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Swelling of lymph glands.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Inability to adjust eyes when entering dark room or theater.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Night sweats.

**7. FOOD / ENVIRONMENT INDICATIONS**

**Section A**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Nervousness, shaky feeling, or headaches are relieved by eating sweets.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Irritable if late for a meal or miss a meal, irritable before breakfast.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Experience sudden strong craving for sweets or alcohol.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Get hungry "five minutes after eating."  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Often wake up at night feeling hungry.

**Section B**

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 Night sweats, increased thirst.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Chronic fatigue, lowered resistance.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 History of boils, leg sores, or lesions taking a long time to heal.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Overweight, trouble losing weight (1 = 5-15 pounds, 2 = 15-25 pounds, 3 = >25 pounds overweight).  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Do NOT experience "pickup" from exercising.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Have/had sugar in urine, diabetes.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Member of family has diabetes.  
☐ 0 ☐ 1 ☐ 2 ☐ 3 Crave sweets, but eating them does not relieve symptoms.

The health problems I would most like to resolve are:

- 1.
- 2.
- 3.

My health goals are:

- 1.
- 2.
- 3.



ELISA/ACT BIOTECHNOLOGIES LLC • 109 Carpenter Drive, Suite 100, Sterling, VA 20164  
phone: 703.450.2980 • 800.553.5472 • fax: 703.450.2981 • e-mail: [clientservices@ELISA/ACT.com](mailto:clientservices@ELISA/ACT.com)

v2.0-05/2019