

# Whalen Integrative Wellness Solutions

## Confidential Health History

Name: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_

Home Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_ Home Phone: \_\_\_/\_\_\_/\_\_\_ Cell Phone: \_\_\_/\_\_\_/\_\_\_ Work phone: \_\_\_/\_\_\_/\_\_\_

Date of Birth: \_\_\_/\_\_\_/\_\_\_ Age: \_\_\_ Marital Status: S M D W #of Children: \_\_\_\_\_

In case of Emergency call: \_\_\_\_\_ Email: \_\_\_\_\_

Permission for the office to communicate with you by text and email? YES NO

Your Occupation: \_\_\_\_\_ Employer Name: \_\_\_\_\_

Referred By: \_\_\_\_\_ Previous Chiropractic care? Yes No When? \_\_\_\_\_ Who \_\_\_\_\_

Is your condition due to an auto accident? \_\_\_ or work related? \_\_\_ Date of Injury \_\_\_\_\_ Claim# \_\_\_\_\_

**PRESENT COMPLAINTS #1:** \_\_\_\_\_

Date Started: \_\_\_/\_\_\_/\_\_\_ Caused by: \_\_\_\_\_

Circle all that apply: Sharp Dull Constant Intermittent Radiating Numbness Tingling Weakness Spasm

What makes it better? \_\_\_\_\_ Worse? \_\_\_\_\_ What times of day is it worse or better? \_\_\_\_\_

Does it interfere with certain activities like: Daily Routine Sleep Work Recreation Other \_\_\_\_\_ Please rate the level of pain on a scale of 1 to 10 (10 is high) 1 2 3 4 5 6 7 8 9 10

Have you seen other doctors for this condition? \_\_\_\_\_ Who? \_\_\_\_\_

Other Treatment? \_\_\_\_\_

Please list any tests and their dates. (MRI, CT, X-Ray, Lab, Ultrasound, etc.) 1. \_\_\_/\_\_\_/\_\_\_

\_\_\_\_\_ 2. \_\_\_/\_\_\_/\_\_\_ 3. \_\_\_/\_\_\_/\_\_\_

\_\_\_\_\_ 4. \_\_\_/\_\_\_/\_\_\_

### Other Complaints

2. \_\_\_\_\_ Date Started: \_\_\_/\_\_\_/\_\_\_ Caused by: \_\_\_\_\_

Circle all that apply: Sharp Dull Constant Intermittent Radiating Numbness Tingling Weakness Spasm

What makes it better? \_\_\_\_\_ Worse? \_\_\_\_\_ What times of day is it worse or better? \_\_\_\_\_

Does it interfere with certain activities like: Daily Routine Sleep Work Recreation Other: \_\_\_\_\_

Please rate the level of pain on a scale of 1 to 10 (10 is high) 1 2 3 4 5 6 7 8 9 10

Have you seen other doctors for this condition? \_\_\_\_\_ Who? \_\_\_\_\_

Other Treatment? \_\_\_\_\_

\_\_\_\_\_ Please list any tests and their dates. (MRI, CT, X-Ray, Lab, Ultrasound, etc.) 1. \_\_\_/\_\_\_/\_\_\_

2. \_\_\_/\_\_\_/\_\_\_

### PAST HEALTH HISTORY

Please list all hospitalizations, surgeries, broken bones and injuries and car accidents and the year they occurred.

\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_ Please list all current medications and duration of use including birth control pills/injections/patches and over the counter medications

List all past, including childhood, medications, and duration of use, including oral contraceptives and antibiotics.

\_\_\_\_\_  
List all current vitamins, herbs, homeopathy and any other supplements.

\_\_\_\_\_  
\_\_\_\_\_

**Physical Chemical and Emotional Stresses play a big part in our overall health. These questions are used to identify what stresses you have experienced both in the past and presently that could be contributing to your current health condition.**

---

**CHEMICAL STRESS**

**Circle all that applies**

Alcohol Past Present  
How often? \_\_\_\_\_  
Soft drinks Past Present  
OZ per Day \_\_\_\_\_  
Smoking Past Present  
How often? \_\_\_\_\_ How long? \_\_\_\_\_  
Second Hand Smoke Past Present  
How many years? \_\_\_\_\_  
Coffee/Tea Past Present  
How often? \_\_\_\_\_  
Excessive Sugar Past Present  
How often? \_\_\_\_\_  
Artificial Sweeteners Past Present  
What kind? \_\_\_\_\_  
Junk foods Past Present  
How often? \_\_\_\_\_  
Recreational Drugs Past Present  
What kind? \_\_\_\_\_  
How often? \_\_\_\_\_  
Over-the-Counter Meds. (ex. Tylenol, Advil, etc.)  
Past Present  
What kind? \_\_\_\_\_  
How often? \_\_\_\_\_

**EMOTIONAL STRESS**

**Circle all that applies**

Relationships Past Present  
Explain \_\_\_\_\_  
Career Past Present  
Explain \_\_\_\_\_  
Children Past Present  
Explain \_\_\_\_\_  
Money Past Present  
Explain \_\_\_\_\_  
Hectic Life Past Present  
Explain \_\_\_\_\_  
Hold in feelings Past Present  
Explain \_\_\_\_\_  
Verbal abuse Past Present  
Explain \_\_\_\_\_  
Physical abuse Past Present  
Explain \_\_\_\_\_  
Sickness or Loss of Loved One Past Present  
Explain \_\_\_\_\_  
What do you feel is your greatest stress?  
\_\_\_\_\_  
\_\_\_\_\_

**DIET HISTORY**

Typical Breakfast: \_\_\_\_\_  
Typical Lunch: \_\_\_\_\_  
Typical Dinner: \_\_\_\_\_  
Snacks: \_\_\_\_\_  
Water consumption: How many glasses a day? \_\_\_\_\_  
What are your daily activities and hobbies? \_\_\_\_\_  
What kind of exercise do you do? \_\_\_\_\_  
How often? \_\_\_\_\_

**FAMILY HISTORY** M = Mother, F =Father S = Sibling GP = Grandparents

Cancer: \_\_\_\_\_ Stroke: \_\_\_\_\_ Diabetes: \_\_\_\_\_ Arthritis: \_\_\_\_\_ Heart Disease: \_\_\_\_\_

Auto Immune Disorders: \_\_\_\_\_ Other: \_\_\_\_\_

**Our priority is helping you achieve your health goals. What are your goals?**

---

---

---

Date: \_\_\_\_\_

Patient Name \_\_\_\_\_

## The Holmes and Rahe Stress Scale

- Slowly, read down through the list.
- Each life event is assigned a Stress Score– the number after it.
- If this event has occurred in your life **over the past year**, circle that stress score or write it on the corresponding line.
- If it doesn't apply to you, leave the line blank.
- At the bottom, total up the scores you have written on the lines and compare them to the Scoring Key.

<b>Death of spouse</b>	<b>100</b>	_____
Divorce	73	_____
<b>Marital separation</b>	<b>65</b>	_____
Imprisonment	63	_____
<b>Death within family</b>	<b>63</b>	_____
Personal illness or injury	53	_____
<b>Marriage</b>	<b>50</b>	_____
Redundancy from work	47	_____
<b>Reconciliation of marriage</b>	<b>45</b>	_____
Retirement	45	_____
<b>Illness within family</b>	<b>44</b>	_____
Pregnancy	40	_____
<b>Sexual difficulties</b>	<b>39</b>	_____
New family member	39	_____
<b>Business changes or restructuring</b>	<b>39</b>	_____
Changes in financial situation	38	_____
<b>Death of close friend</b>	<b>37</b>	_____
Change of occupation	36	_____
<b>Increased conflict with spouse</b>	<b>35</b>	_____
Large mortgage or loan	31	_____
<b>Foreclosure of mortgage or loan</b>	<b>30</b>	_____
New responsibilities at work	29	_____
<b>Children leaving home</b>	<b>29</b>	_____
Trouble with in-laws	29	_____
<b>Great personal achievement</b>	<b>28</b>	_____
Spouse starts or stops work	26	_____
<b>Start or end of school or college</b>	<b>26</b>	_____
Change in living conditions	25	_____

Date: \_\_\_\_\_

Patient Name \_\_\_\_\_

<b>Change in personal habits</b>	<b>24</b>	_____
Trouble with employer or boss	23	_____
<b>Change in work conditions</b>	<b>20</b>	_____
Moving house	20	_____
<b>Changing school or college</b>	<b>20</b>	_____
Change in recreation	19	_____
<b>Change in church activity</b>	<b>19</b>	_____
Change in social activity	18	_____
<b>Moderate mortgage or loan</b>	<b>17</b>	_____
Change in sleep patterns	16	_____
<b>Change in number of family meetings</b>	<b>15</b>	_____
Change in eating habits	15	_____
<b>Holiday</b>	<b>13</b>	_____
Christmas	12	_____
<b>Minor law infringements</b>	<b>11</b>	_____

### **Your Total Score** \_\_\_\_\_

This allows you to determine the total amount of stress you are experiencing by adding up the relative stress values, known as Life Change Units (LCU), for various events.

A score of 250 or more is considered high. Persons with a low stress tolerance may find themselves overstressed with a score of 150. The test is used to determine disease susceptibility.

### **SCORING KEY**

— These scores are a *general* measure of stress. People handle stress differently. Some are able to carry stress more than others.

**Score less than 150 or Less:** You have a 37% chance of becoming seriously ill.

**If your score is 150+, your health is at considerable risk.**

**Score between 150 to 300:** You have a 51% chance of becoming seriously ill.

**Score over 300:** You have an 80% chance of serious illness in the next 2 years.

Adapted from the "Social Readjustment Rating Scale" by Thomas Holmes and Richard Rahe. This scale was first published in the Journal of Psychosomatic Research, 1967, vol. II p. 214.

# SYSTEMS SURVEY FORM



Patient \_\_\_\_\_ Doctor \_\_\_\_\_ Date \_\_\_\_\_

Birth Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Approx Weight \_\_\_\_\_ Vegetarian  Gluten-free

**INSTRUCTIONS:** Fill in only the circles which apply to you. Leave blank if you don't have the problem.

- Fill in the circle marked 1 for MILD symptoms (occurs rarely).
- Fill in the circle marked 2 for MODERATE symptoms (occurs several times a month).
- Fill in the circle marked 3 for SEVERE symptoms (occurs almost constantly).
- **Leave circles BLANK if they don't apply to you!**

## GROUP 1 - Sympathetic Dominance

- |   |   |   |
|---|---|---|
| <p>1 2 3</p> <p>1 ○○○○ Acid foods upset</p> <p>2 ○○○○ Get chilled often</p> <p>3 ○○○○ "Lump" in throat</p> <p>4 ○○○○ Dry mouth-eyes-nose</p> <p>5 ○○○○ Pulse speeds after meal</p> <p>6 ○○○○ Keyed up - fail to calm</p> <p>7 ○○○○ Gag occasionally</p> | <p>1 2 3</p> <p>8 ○○○○ Unable to relax; startles easily</p> <p>9 ○○○○ Extremities cold, clammy</p> <p>10 ○○○○ Strong light irritates</p> <p>11 ○○○○ Occasionally weak urine flow</p> <p>12 ○○○○ Heart pounds after retiring</p> <p>13 ○○○○ "Nervous" stomach</p> <p>14 ○○○○ Appetite reduced occasionally</p> | <p>1 2 3</p> <p>15 ○○○○ Cold sweats often</p> <p>16 ○○○○ Get heated easily</p> <p>17 ○○○○ Nerve discomfort</p> <p>18 ○○○○ Staring, blinks little</p> <p>19 ○○○○ Sour stomach frequent</p> |
|---|---|---|

## G-ROUP2 - Parasympathetic Dominance

- |  |   |   |
|--|---|---|
| <p>1 2 3</p> <p>20 ○○○○ Joint stiffness on arising</p> <p>21 ○○○○ Muscle-leg-toe cramps at night</p> <p>22 ○○○○ "Butterfly" stomach, cramps</p> <p>23 ○○○○ Eyes or nose watery</p> <p>24 ○○○○ Eyes blink often</p> <p>25 ○○○○ Eyelids swollen, puffy</p> <p>26 ○○○○ Indigestion soon after meals</p> <p>27 ○○○○ Always seems hungry; feels "lightheaded" often</p> | <p>1 2 3</p> <p>28 ○○○○ Digestion rapid</p> <p>29 ○○○○ Vomiting occasionally</p> <p>30 ○○○○ Hoarseness frequent</p> <p>31 ○○○○ Uneven breathing</p> <p>32 ○○○○ Pulse slow</p> <p>33 ○○○○ Gagging reflex slow</p> <p>34 ○○○○ Difficulty swallowing</p> <p>35 ○○○○ Temporary constipation or diarrhea</p> | <p>1 2 3</p> <p>36 ○○○○ "Slow starter"</p> <p>37 ○○○○ Get "chilled"</p> <p>38 ○○○○ Perspire easily</p> <p>39 ○○○○ Sensitive to cold</p> <p>40 ○○○○ Upper respiratory challenges</p> |
|--|---|---|

## GROUP 3 - Sugar Handling

- |   |  |   |
|---|--|---|
| <p>1 2 3</p> <p>41 ○○○○ Eat when nervous</p> <p>42 ○○○○ Excessive appetite</p> <p>43 ○○○○ Hungry between meals</p> <p>44 ○○○○ Irritable before meals</p> <p>45 ○○○○ Get "shaky" if hungry</p> <p>46 ○○○○ Fatigue, eating relieves</p> <p>47 ○○○○ "Lightheaded" if meals delayed</p> | <p>1 2 3</p> <p>48 ○○○○ Heart palpitates if meals missed or delayed</p> <p>49 ○○○○ Fatigue in afternoons</p> <p>50 ○○○○ Overeating sweets upsets</p> <p>51 ○○○○ Awaken after few hours sleep - hard to get back to sleep</p> | <p>1 2 3</p> <p>52 ○○○○ Crave candy or coffee in afternoons</p> <p>53 ○○○○ Moods of "blues" or melancholy</p> <p>54 ○○○○ Craving for sweets or snacks</p> |
|---|--|---|

## GROUP 4 - Cardio-Vascular

- |   |  |   |
|---|--|---|
| <p>1 2 3</p> <p>55 ○○○○ Hands and feet go to sleep easily, numbness</p> <p>56 ○○○○ Sigh frequently, "air hunger"</p> <p>57 ○○○○ Aware of "breathing heavily"</p> <p>58 ○○○○ High altitude discomfort</p> <p>59 ○○○○ Opens windows in closed rooms</p> <p>60 ○○○○ Immune system challenges</p> <p>61 ○○○○ Afternoon "yawner"</p> | <p>1 2 3</p> <p>62 ○○○○ Get "drowsy" often</p> <p>63 ○○○○ Swollen ankles, worse at night</p> <p>64 ○○○○ Muscle cramps, worse during exercise; get "charley horses"</p> <p>65 ○○○○ Difficulty catching breath especially during exercise</p> <p>66 ○○○○ Tightness or pressure in chest, worse on exertion</p> | <p>1 2 3</p> <p>67 ○○○○ Skin discolors easily after impact</p> <p>68 ○○○○ Tendency to anemia</p> <p>69 ○○○○ Noises in head, or "ringing in ears"</p> <p>70 ○○○○ Fatigue upon exertion</p> |
|---|--|---|

## SYSTEMS SURVEY FORM - PAGE 2

### GROUP 5 - Biliary / Liver

- |  |  |  |
|--|--|--|
| <p>1 2 3</p> <p>71 ○○○ Dizziness</p> <p>72 ○○○ Dry skin</p> <p>73 ○○○ Burning feet</p> <p>74 ○○○ Blurred vision</p> <p>75 ○○○ Itching skin and feet</p> <p>76 ○○○ Hair loss</p> <p>77 ○○○ Occasional skin rashes</p> <p>78 ○○○ Bitter, metallic taste in mouth in mornings</p> <p>79 ○○○ Occasional constipation</p> | <p>1 2 3</p> <p>80 ○○○ Worrier, feels insecure</p> <p>81 ○○○ Nausea occasionally after eating</p> <p>82 ○○○ Greasy foods upset</p> <p>83 ○○○ Stools light colored</p> <p>84 ○○○ Skin peels on foot soles</p> <p>85 ○○○ Discomfort between shoulder blades</p> <p>86 ○○○ Occasional laxative use</p> <p>87 ○○○ Stools alternate from soft to watery</p> | <p>1 2 3</p> <p>88 ○○○ Sneezing attacks</p> <p>89 ○○○ Dreaming, nightmare type bad dreams</p> <p>90 ○○○ Bad breath (halitosis)</p> <p>91 ○○○ Milk products cause upset</p> <p>92 ○○○ Sensitive to hot weather</p> <p>93 ○○○ Burning or itching anus</p> <p>94 ○○○ Crave sweets</p> |
|--|--|--|

### GROUP 6 - Digestive

- |  |   |   |
|--|---|---|
| <p>1 2 3</p> <p>95 ○○○ Loss of taste for meat</p> <p>96 ○○○ Lower bowel gas several hours after eating</p> <p>97 ○○○ Burning stomach sensations, eating relieves</p> | <p>1 2 3</p> <p>98 ○○○ Coated tongue</p> <p>99 ○○○ Pass large amounts of foul-smelling gas</p> <p>100 ○○○ Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hours after</p> | <p>1 2 3</p> <p>101 ○○○ Watery or loose stool</p> <p>102 ○○○ Gas shortly after eating</p> <p>103 ○○○ Stomach "bloating"</p> |
|--|---|---|

### GROUP 7 - Endocrine

- |   |   |   |
|---|---|---|
| <p><b>(A) - Hyperthyroid</b></p> <p>1 2 3</p> <p>104 ○○○ Difficulty sleeping</p> <p>105 ○○○ On edge</p> <p>106 ○○○ Can't gain weight</p> <p>107 ○○○ Intolerance to heat</p> <p>108 ○○○ Highly emotional</p> <p>109 ○○○ Flush easily</p> <p>110 ○○○ Night sweats</p> <p>111 ○○○ Thin, moist skin</p> <p>112 ○○○ Inward trembling</p> <p>113 ○○○ Heart races</p> <p>114 ○○○ Increased appetite without weight gain</p> <p>115 ○○○ Pulse fast at rest</p> <p>116 ○○○ Eyelids and face twitch</p> <p>117 ○○○ Irritable and restless</p> <p>118 ○○○ Can't work under pressure</p>  | <p><b>(C) - Hyperpituitary</b></p> <p>1 2 3</p> <p>134 ○○○ Failing memory with age</p> <p>135 ○○○ Increased sex drive</p> <p>136 ○○○ Episodes of tension in head</p> <p>137 ○○○ Decreased sugar tolerance</p>   | <p><b>(E) - Hyperadrenal</b></p> <p>1 2 3</p> <p>145 ○○○ Dizziness</p> <p>146 ○○○ Headaches</p> <p>147 ○○○ Hot flashes</p> <p>148 ○○○ Hair growth on face or body (female)</p> <p>149 ○○○ Sugar in urine (not diabetes)</p> <p>150 ○○○ Masculine tendencies (female)</p>  |
| <p><b>(B) - Hypothyroid</b></p> <p>1 2 3</p> <p>119 ○○○ Increase in weight</p> <p>120 ○○○ Decrease in appetite</p> <p>121 ○○○ Fatigue easily</p> <p>122 ○○○ Ringing in ears</p> <p>123 ○○○ Sleepy during day</p> <p>124 ○○○ Sensitive to cold</p> <p>125 ○○○ Dry or scaly skin</p> <p>126 ○○○ Temporary constipation</p> <p>127 ○○○ Mental sluggishness</p> <p>128 ○○○ Hair coarse, falls out</p> <p>129 ○○○ Tension in head upon arising wears off during day</p> <p>130 ○○○ Slow pulse, below 65</p> <p>131 ○○○ Changing urinary function</p> <p>132 ○○○ Sounds appear diminished</p> <p>133 ○○○ Reduced initiative</p> | <p><b>(D) - Hypopituitary</b></p> <p>1 2 3</p> <p>138 ○○○ Abnormal thirst</p> <p>139 ○○○ Bloating of abdomen</p> <p>140 ○○○ Weight gain around hips or waist</p> <p>141 ○○○ Sex drive reduced or lacking</p> <p>142 ○○○ Tendency for stomach issues</p> <p>143 ○○○ Increased sugar tolerance</p> <p>144 ○○○ Menstrual disorders</p> | <p><b>(F) - Hypoadrenal</b></p> <p>1 2 3</p> <p>151 ○○○ Weakness, dizziness</p> <p>152 ○○○ Tired throughout day</p> <p>153 ○○○ Nails weak, ridged</p> <p>154 ○○○ Sensitive skin</p> <p>155 ○○○ Stiff joints</p> <p>156 ○○○ Perspiration increase</p> <p>157 ○○○ Bowel discomfort</p> <p>158 ○○○ Poor circulation</p> <p>159 ○○○ Swollen ankles</p> <p>160 ○○○ Crave salt</p> <p>161 ○○○ Areas of skin darkening</p> <p>162 ○○○ Upper respiratory sensitivity</p> <p>163 ○○○ Tiredness</p> <p>164 ○○○ Breathing challenges</p> |



# SYSTEMS SURVEY FORM - PAGE 3

## GROUP 8 - Foundational

<p>1 2 3</p> <p>165 ○○○ Muscle weakness</p> <p>166 ○○○ Lack of Stamina</p> <p>167 ○○○ Drowsiness after eating</p> <p>168 ○○○ Muscular soreness</p> <p>169 ○○○ Heart races</p> <p>170 ○○○ Hyper-irritable</p> <p>171 ○○○ Feeling of a band around your head</p> <p>172 ○○○ Melancholia (feeling of sadness)</p> <p>173 ○○○ Swelling of ankles</p> <p>174 ○○○ Change in urinary function</p>	<p>1 2 3</p> <p>175 ○○○ Tendency to consume sweets or carbohydrates</p> <p>176 ○○○ Muscle spasms</p> <p>177 ○○○ Blurred vision</p> <p>178 ○○○ Involuntary muscle action</p> <p>179 ○○○ Numbness</p> <p>180 ○○○ Night sweats</p> <p>181 ○○○ Rapid digestion</p> <p>182 ○○○ Sensitivity to noise</p> <p>183 ○○○ Redness of palms of hands and bottom of feet</p>	<p>1 2 3</p> <p>184 ○○○ Visible veins on chest and abdomen</p> <p>185 ○○○ Hemorrhoids</p> <p>186 ○○○ Apprehension (feeling that something bad will happen)</p> <p>187 ○○○ Nervousness causing loss of appetite</p> <p>188 ○○○ Nervousness with indigestion</p> <p>189 ○○○ Gastritis</p> <p>190 ○○○ Forgetfulness</p> <p>191 ○○○ Thinning hair</p>
--	--	---

### FEMALE ONLY

<p>1 2 3</p> <p>192 ○○○ Very easily fatigued</p> <p>193 ○○○ Premenstrual tension</p> <p>194 ○○○ Menses more painful than usual</p> <p>195 ○○○ Depressed feelings before menstruation</p> <p>196 ○○○ Painful breasts during menses</p>	<p>1 2 3</p> <p>197 ○○○ Menstruate too frequently</p> <p>198 ○ Hysterectomy / ovaries removed</p> <p>199 ○○○ Menopausal hot flashes</p> <p>200 ○○○ Menses scanty or missed</p> <p>201 ○○○ Acne, worse at menses</p>
---	---

### MALE ONLY

<p>1 2 3</p> <p>202 ○○○ Less involved in exercise/social activities</p> <p>203 ○○○ Difficult to postpone urination</p> <p>204 ○○○ Weak urinary stream</p> <p>205 ○○○ Feeling of "blues" or melancholy</p> <p>206 ○○○ Feeling of incomplete bowel evacuation</p> <p>207 ○○○ Lack of energy</p> <p>208 ○○○ Muscles in arms and legs seem softer/smaller</p> <p>209 ○○○ Tire too easily</p> <p>210 ○○○ Avoids activity</p> <p>211 ○○○ Leg nervousness at night</p> <p>212 ○○○ Diminished sex drive</p>
---

### IMPORTANT

Please list the five main complaints you have in the order of their importance:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

### BARNES THYROID TEST

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

#### PRE-MENSES FEMALES AND MENOPAUSAL FEMALES

Any two days during the month

#### FEMALES HAVING MENSTRUAL CYCLES

The 2nd and 3rd day of flow OR any 5 days in a row

#### MALES

Any 2 days during the month

### RESTRICTIONS ON USE

THE SYSTEMS SURVEY IS TO BE USED ONLY BY TRAINED HEALTH CARE PRACTITIONERS. IF YOU ARE A PATIENT, YOU SHOULD NOT USE THE SYSTEMS SURVEY. IF YOU ARE NOT A TRAINED HEALTH CARE PRACTITIONER, YOU SHOULD NOT USE THE SYSTEMS SURVEY. HEALTH CARE PRACTITIONERS SHOULD ONLY USE THE SYSTEMS SURVEY TO PROVIDE SERVICES THAT ARE WITHIN THE SCOPE OF THEIR LICENSE OR PROFESSIONAL TRAINING. THE SYSTEMS SURVEY IS NOT INTENDED TO DIAGNOSE ANY DISEASE. THE SYSTEMS SURVEY IS INTENDED TO BE USED AS A HELPFUL TOOL FOR HEALTH CARE PRACTITIONERS IN COLLECTING INFORMATION CONCERNING THE HEALTH AND WELLNESS OF PATIENTS.

**SYSTEMS SURVEY FORM - PAGE 4**

**Please list any medications you are taking:**

No Medications

**Please list any vitamins, herbs, or supplements you are taking:**

No Vitamins

**Please list any allergies you have:**

No Allergies

**Please list any surgeries you have had in the past 12 months:**

No Recent Surgeries

**Please list any other surgeries or medical procedures you have had:**

No Other Surgeries

**TO BE COMPLETED BY DOCTOR**

Blood Pressure: Recumbent \_\_\_\_\_ Standing \_\_\_\_\_

Pulse: Recumbent \_\_\_\_\_ Standing \_\_\_\_\_

Hema-Combistix Urine Readings: pH \_\_\_\_\_ Albumin % \_\_\_\_\_ Glucose % \_\_\_\_\_

Occult Blood \_\_\_\_\_ pH of Saliva \_\_\_\_\_ pH of Stool Specimen \_\_\_\_\_

Blood Clotting Time \_\_\_\_\_ Hemoglobin \_\_\_\_\_ Blood Type \_\_\_\_\_ Weight \_\_\_\_\_




# SYSTEMS SURVEY FORM - PAGE 5

Use the letters listed below to indicate the type and location of your pain and sensations:

### KEY

- A = ACHE
- B = BURNING
- S = STABBING
- N = NUMBNESS
- P = PINS & NEEDLES
- O = OTHER



PLEASE INDICATE THE LEVEL OF PAIN YOU ARE EXPERIENCING

NO PAIN

SEVERE PAIN

0 1 2 3 4 5 6 7 8 9 10

Patient Signature \_\_\_\_\_ Date \_\_\_\_\_

Name: \_\_\_\_\_

Date: \_\_\_\_\_

# Toxicity Questionnaire

The Toxicity Questionnaire is designed to aid the practitioner in assessing a patient's or client's potential need for a purification program.

## Section I: Symptoms

Rate each of the following based upon your health profile for the past 90 days.

Circle the corresponding number.	
0	Rarely or Never Experience the Symptom
1	Occasionally Experience the Symptom, Effect is Not Severe
2	Occasionally Experience the Symptom, Effect is Severe
3	Frequently Experience the Symptom, Effect is Not Severe
4	Frequently Experience the Symptom, Effect is Severe

### 1. DIGESTIVE

a. Nausea and/or vomiting	0 1 2 3 4
b. Diarrhea	0 1 2 3 4
c. Constipation	0 1 2 3 4
d. Bloating feeling	0 1 2 3 4
e. Belching and/or passing gas	0 1 2 3 4
f. Heartburn	0 1 2 3 4
<b>Total:</b>	_____

### 2. EARS

a. Itchy ears	0 1 2 3 4
b. Earaches or ear infections	0 1 2 3 4
c. Drainage from ear	0 1 2 3 4
d. Ringing in ears or hearing loss	0 1 2 3 4
<b>Total:</b>	_____

### 3. EMOTIONS

a. Mood swings	0 1 2 3 4
b. Anxiety, fear, or nervousness	0 1 2 3 4
c. Anger, irritability	0 1 2 3 4
d. Depression	0 1 2 3 4
e. Sense of despair	0 1 2 3 4
f. Uncaring or disinterested	0 1 2 3 4
<b>Total:</b>	_____

### 4. ENERGY / ACTIVITY

a. Fatigue or sluggishness	0 1 2 3 4
b. Hyperactivity	0 1 2 3 4
c. Restlessness	0 1 2 3 4
d. Insomnia	0 1 2 3 4
e. Startled awake at night	0 1 2 3 4
<b>Total:</b>	_____

### 5. EYES

a. Watery or itchy eyes	0 1 2 3 4
b. Swollen, reddened, or sticky eyelids	0 1 2 3 4
c. Dark circles under eyes	0 1 2 3 4
d. Blurred or tunnel vision	0 1 2 3 4
<b>Total:</b>	_____

### 6. HEAD

a. Headaches	0 1 2 3 4
b. Faintness	0 1 2 3 4
c. Dizziness	0 1 2 3 4
d. Pressure	0 1 2 3 4
<b>Total:</b>	_____

### 7. LUNGS

a. Chest congestion	0 1 2 3 4
b. Asthma or bronchitis	0 1 2 3 4
c. Shortness of breath	0 1 2 3 4
d. Difficulty breathing	0 1 2 3 4
<b>Total:</b>	_____

### 8. MIND

a. Poor memory	0 1 2 3 4
b. Confusion	0 1 2 3 4
c. Poor concentration	0 1 2 3 4
d. Poor coordination	0 1 2 3 4
e. Difficulty making decisions	0 1 2 3 4
f. Stuttering, stammering	0 1 2 3 4
g. Slurred speech	0 1 2 3 4
h. Learning disabilities	0 1 2 3 4
<b>Total:</b>	_____

### 9. MOUTH/THROAT

a. Chronic coughing	0 1 2 3 4
b. Gagging or frequent need to clear throat	0 1 2 3 4
c. Swollen or discolored tongue, gums, lips	0 1 2 3 4
d. Canker sores	0 1 2 3 4
<b>Total:</b>	_____

### 10. NOSE

a. Stuffy nose	0 1 2 3 4
b. Sinus problems	0 1 2 3 4
c. Hay fever	0 1 2 3 4
d. Sneezing attacks	0 1 2 3 4
e. Excessive mucous	0 1 2 3 4
<b>Total:</b>	_____

### 11. SKIN

a. Acne	0 1 2 3 4
b. Hives, rashes, or dry skin	0 1 2 3 4
c. Hair loss	0 1 2 3 4
d. Flushing	0 1 2 3 4
e. Excessive sweating	0 1 2 3 4
<b>Total:</b>	_____

### 12. HEART

a. Skipped heartbeats	0 1 2 3 4
b. Rapid heartbeats	0 1 2 3 4
c. Chest pain	0 1 2 3 4
<b>Total:</b>	_____

### 13. JOINTS / MUSCLES

a. Pain or aches in joints	0 1 2 3 4
b. Rheumatoid arthritis	0 1 2 3 4
c. Osteoarthritis	0 1 2 3 4
d. Stiffness or limited movement	0 1 2 3 4
e. Pain or aches in muscles	0 1 2 3 4
f. Recurrent back aches	0 1 2 3 4
g. Feeling of weakness or tiredness	0 1 2 3 4
<b>Total:</b>	_____

### 14. WEIGHT

a. Binge eating or drinking	0 1 2 3 4
b. Craving certain foods	0 1 2 3 4
c. Excessive weight	0 1 2 3 4
d. Compulsive eating	0 1 2 3 4
e. Water retention	0 1 2 3 4
f. Underweight	0 1 2 3 4
<b>Total:</b>	_____

### 15. OTHER:

a. Frequent illness	0 1 2 3 4
b. Frequent or urgent urination	0 1 2 3 4
c. Leaky bladder	0 1 2 3 4
d. Genital itch, discharge	0 1 2 3 4
<b>Total:</b>	_____

**Section I Total:** \_\_\_\_\_



## Section II: Risk of Exposure

Rate each of the following situations based upon your environmental profile for the past 120 days.

16. Circle the corresponding number for questions 16a-16f below.

0	Never	1	Rarely	2	Monthly	3	Weekly	4	Daily
---	-------	---	--------	---	---------	---	--------	---	-------

a. How often are strong chemicals used in your home? (disinfectants, bleaches, oven and drain cleaners, furniture polish, floor wax, window cleaners, etc.)	0	1	2	3	4
b. How often are pesticides used in your home?	0	1	2	3	4
c. How often do you have your home treated for insects?	0	1	2	3	4
d. How often are you exposed to dust, overstuffed furniture, tobacco smoke, mothballs, incense, or varnish in your home or office?	0	1	2	3	4
e. How often are you exposed to nail polish, perfume, hairspray, or other cosmetics?	0	1	2	3	4
f. How often are you exposed to diesel fumes, exhaust fumes, or gasoline fumes?	0	1	2	3	4
<b>Total:</b> _____					

17. Circle the corresponding number for questions 17a-17b below.

0	No	1	Mild Change	2	Moderate Change	3	Drastic Change
---	----	---	-------------	---	-----------------	---	----------------

a. Have you noticed any negative change in your health since you moved into your home or apartment?	0	1	2	3
b. Have you noticed any change in your health since you started your new job?	0	1	2	3
<b>Total:</b> _____				

18. Answer yes or no and circle the corresponding number for questions 18a-18d below.

	No	Yes
a. Do you have a water purification system in your home?	2	0
b. Do you have any indoor pets?	0	2
c. Do you have an air purification system in your home?	2	0
d. Are you a dentist, painter, farm worker, or construction worker?	0	2
<b>Total:</b> _____		

**Section II Total:** \_\_\_\_\_

**Grand Total (Section I & Section II)** \_\_\_\_\_

Add up the numbers to arrive at a total for each section, and then add the totals for each section to arrive at the grand total. If any individual section total is 6 or more, or the grand total is 40 or more, you may benefit from a purification program.

Adapted with permission from the author of *Clinical Purification™: A Complete Treatment and Reference Manual*, Dr. Gina L. Nick.