Tips for Baby Development

BIRTH-3 MONTHS

- · Help baby's motor development by engaging in Tummy Time every day
- Give baby plenty of cuddle time and body massages
- · Encourage baby's responses by presenting objects with bright colors and faces
- · Talk to baby every day to show that language is used to communicate

4-6 MONTHS

- · Encourage baby to practice Tummy Time, roll over, and reach for objects while playing
- Offer toys that allow two-handed exploration and play
- · Talk to baby to encourage language development, baby may begin to babble
- · Communicate with baby; imitate baby's noises and praise them when they imitate yours

7–9 MONTHS

- · Place toys in front of baby to encourage movement
- · Play cause and effect games like peek-a-boo
- · Name and describe objects for baby during everyday activities
- · Introduce "junior" and soft foods around 8 months

10-12 MONTHS

- · Place cushions on floor to encourage baby to crawl over and between
- · While baby is standing at sofa set a toy slightly out of reach to encourage walking using furniture as support
- · Use picture books to work on communication and bonding
- Encourage two-way communication by responding to baby's giggles and coos

13-15 MONTHS

- · Provide push and pull toys for baby to use as they learn how to walk
- · Encourage baby to stack blocks and then knock them down
- · Establish consistency with routines like mealtimes and bedtimes
- · Sing, play music for, and read to your child regularly
- Ask your child questions to help stimulate decision making process



About Pathways.org

The mission of Pathways.org, since 1985, is to empower parents and health professionals with FREE tools and resources to maximize a child's motor, sensory, and communication development. The Pathways.org Medical Roundtable is instrumental in achieving this mission through strategic and supportive direction.

Pathways.org Medical Roundtable Co-Chairmen

Michael E. Msall, MD, FAAP, FAACPDM and John F. Sarwark, MD. FAAP, FAACPDM, FAAOS

Committee

Suzann K. Campbell, PT. PhD, FAPTA, FAACPDM Laura L. Deon, MD Deborah Gaebler-Spira, MD, FAAP, FAACPDM Gay Girolami, PT, PhD, FAACPDM

Karen R. Judy, MD Amy Becker Manion. PhD, RN, CPNP Michael N. Nelson, PhD Ana-Marie Rojas, MD Diane Fritts Ryan, OTR/L

Lisa Thornton, MD, FAAP Lori Walsh, MD Rosemary White-Traut, PhD, RN, FAAN Nina Aliprandi, MA, Parent Shirley Welsh Ryan



Questions?

Please call our "parent-answered" toll-free number, or email us. We will send you more information and refer you to therapists in your area.



800-955-CHILD (2445) friends@pathways.org www.pathways.org










This message endorsed by the American Academy of Pediatrics, the National Association of Pediatric Nurse Practitioners, American College of Osteopathic Pediatricians and Pediatric Section of the American Physical

Pathways.org is a 501(c)(3) not-for-profit organization.





FREE tools to maximize child development

Pathways.org is a 501(c)(3) not-for-profit organization.

SIGNS TO WATCH FOR IN TYPICAL TYPICAL TYPICAL What Every Parent Physical **Physical** Play Speech Should Know DEVELOPMENT* DEVELOPMENT* DEVELOPMENT* DEVELOPMENT* Pathways.org's unique chart allows you to track While lying on their back... Sucks and swallows well your child's physical, play, BY Visually tracks a moving toy from side during feeding and speech development. to side Remember to trust your Quiets or smiles in response While lying on their tummy.. Attempts to reach for a rattle instincts. You know your to sound or voice O Difficulty lifting head Pushes back with head held above their chest child best. If you feel your Pushes up on arms Keeps hands fisted and Coos or vocalizes other than crying Stiff legs with little baby is developing at a MONTHS Keeps head in the middle lacks arm movement Lifts and holds head up Turns head toward direction of sound different pace, seek help. to watch faces or toys **Early Detection** Uses hands to support Reaches for a nearby toy Begins to use consonant sounds is the Best self in sitting BY in babbling, e.g. "dada" while on their tummy Prevention! () Arms Rolls from back While lying on their back... Uses babbling to get attention Important Parent Ideas: 0 to tummy O Difficult to bring arms Transfers a toy from one hand to the other Rounded back back Begins to eat cereals and pureed foods Keep a notebook of forward to reach out While standing with O Unable to lift head up Stiff legs your concerns and MONTHS Reaches both hands to play with feet support, accepts entire Arches back and stiffens legs weight with legs observations. O Poor head control Review this chart and check the signs you see Sits and reaches for In a high chair, holds and drinks from a bottle Increases variety of sounds and O Uses one hand in your baby.** BY toys without falling O Inability syllable combinations in babbling predominately Explores and examines an to straighter Share your concerns, object using both hands Moves from tummy Looks at familiar objects and Rounded back back or back to sitting this chart, and your people when named Difficulty crawling Turns several pages of a chunky O Poor use of notebook with your () Cannot Creeps on hands and (board) book at once Begins to eat junior and arms in sitting take weight child's doctor or Uses only one side MONTHS mashed table foods knees with alternate on legs In simple play imitates others of body to move health provider. arm and leg movement **It is okay to check boxes in both areas of Typical Pulls to stand and Meaningfully uses "mama" or "dada" Finger feeds self Sits with weight O Difficulty getting Development and Signs cruises along furniture to one side Releases objects into a container Responds to simple commands, to stand because To Watch For columns. with a large opening Stands alone of stiff legs and e.g. "come here" Strongly flexed or and takes several pointed toes stiffly extended arms Produces long strings of gibberish Uses thumb and pointer finger independent steps to pick up tiny objects Only uses arms to (jargoning) in social communication () Needs to use hand MONTHS pull up to standing to maintain sitting Begins to use an open cup Walks independently Copy freely. Stacks two objects or blocks Vocabulary consists of 5 - 10 words and seldom falls DO NOT CHANGE, MUST Helps with getting undressed Imitates new, less familiar words ACKNOWLEDGE PATHWAYS.ORG. Unable to take steps independently Squats to pick up toy Permission to cite any part of this work Holds and drinks from a cup Understands 50 words Poor standing balance, falls frequently must be obtained from Pathways. Increases variety of coarsely org. Materials are provided at no cost; Walks on toes MONTHS chopped table foods no fees or charges may be associated with any of the Pathways.org materials without prior written approval. Please visit www.Pathways.org to find more FREE resources on child development. © Copyright 2016 *Remember to correct your child's age for prematurity.