

Inter-professional Spine Assessment and Education Clinics



Date: dd/mm/yy

PATIENT FOLLOW-UP INTAKE


Name:	Date of Birth: dd/mm/yy								
During the <u>past week</u> , how bothersome have these symptoms <u>been</u> ? (please circle to which you are referring)									
	Not at all bothersome	Slightly bothersome	Somewhat bothersome	Moderately bothersome	Very bothersome	Extremely bothersome			
Low back and/or buttock pain	1	2	3	4	5	6			
Leg pain	1	2	3	4	5	6			
Numbness or tingling in leg and/or foot	1	2	3	4	5	6			
Weakness in the leg and/or foot	1	2	3	4	5	6			
Have there been any changes to the second of	Weakness in the leg and/or foot Is your pain: Improving Staying the same Getting worse Have there been any changes in your health since your last visit: No Yes. Describe: Have you had any changes to your medications since your last visit: No Yes. Describe: Have you tried any treatments for your pain since your last visit? No Yes. Describe: Has your employment status changed since your last visit? No Yes. Describe: We would like to know how often you are exercising. In the past 7 days, how many times did you perform your prescribed low back pain exercises?								



PATIENT FOLLOW-UP INTAKE



Date: dd/mm/yy





PATIENT FOLLOW-UP INTAKE



Date: dd/mm/yy

ODI

DIRECTIONS: Answer every question by marking the correct box. If you need to change an answer, completely scratch out the incorrect answer and mark the correct box. If you are unsure about how to answer a question, please give the best answer you can. Mark only one answer for each question unless instructed otherwise.

	•	_	
1.	PAIN INTENSITY: I have no pain at the moment. The pain is very mild at the moment. The pain is moderate at the moment. The pain is fairly severe at the moment. The pain is very severe at the moment. The pain is the worst imaginable at the moment.	6. 9	I can stand as long as I want without extra pain. I can stand as long as I want but it gives extra pain. Pain prevents me from standing more than 1 hour. Pain prevents me from standing more than 1/2 an hour. Pain prevents me from standing more than 10 minutes. Pain prevents me from standing at all.
2.	PERSONAL CARE (WASHING, DRESSING, ETC): I can look after myself normally without causing extra pain. I can look after myself normally but it is very painful. It is painful to look after myself and I am slow and careful. I need some help but manage most of my personal care. I need help every day in most aspects of self-care. I do not get dressed, wash with difficulty and stay in bed.	7.5	SLEEPING: My sleep is never disturbed by pain My sleep is occasionally disturbed by pain. Because of pain I have less than 6 hours sleep. Because of pain I have less than 4 hours sleep. Because of pain I have less than 2 hours sleep. Pain prevents me from sleeping at all.
3.	I can lift heavy weights without extra pain. I can lift heavy weights but it gives extra pain. Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g on a table). Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all.	8. 9	My sex life is normal and causes no extra pain. My sex life is normal but causes some extra pain. My sex life is nearly normal but is very painful. My sex life is severely restricted by pain My sex life is nearly absent because of pain. Pain prevents any sex life at all.
4.	WALKING: Pain does not prevent me from walking any distance. Pain prevents me walking more than 1 mile. Pain prevents me walking more than 1/2 mile. Pain prevents me walking more than 1/4 mile. I can only walk using a stick or crutches. I am in bed most of the time and have to crawl to the toilet.		My social life is normal and causes me no extra pain. My social life is normal but increases the degree of pain. Pain has no significant effect on my social life apart from limiting my more energetic interests (e.g., dancing, sports) Pain has restricted my social life and I do not go out as often. Pain has restricted my social life to my home. I have no social life because of pain
5. 5	I can sit in any chair as long as I like. I can only sit in my favourite chair as long as I like. Pain prevents me from sitting more than 1 hour. Pain prevents me from sitting more than 1/2 an hour. Pain prevents me from sitting more than 10 minutes. Pain prevents me from sitting at all.	10.	TRAVELLING: I can travel anywhere without pain. I can travel anywhere but it gives extra pain. Pain is bad but I manage journeys over two hours. Pain restricts me to journeys less than one hour. Pain restricts me to short journeys under 30 minutes. Pain prevents me from traveling except to receive



PATIENT FOLLOW-UP INTAKE

EQ-5D



Date: dd/mm/yy

Under each heading, please tick the **ONE** box that best describes your health **TODAY:**

MOBILITY:				PAIN/DISCOMFORT:		
☐ I have no pro☐ I have slight ☐ I have model☐ I have severe☐ I am unable t	problems in wa rate problems i problems in w	alking about in walking ab	☐ I have no pain or discomfort ☐ I have slight pain or discomfort ☐ I have moderate pain or discomfort ☐ I have severe pain or discomfort ☐ I have extreme pain or discomfort			
SELF-CARE:				ANXIETY/DEPRESSION:		
☐ I have no problems washing or dressing myself ☐ I have slight problems washing or dressing myself ☐ I have moderate problems washing or dressing myself ☐ I have severe problems washing or dressing myself ☐ I have severe problems washing or dressing myself ☐ I am unable to wash or dress myself ☐ I am extremely anxious or depressed ☐ I am slightly anxious or depressed ☐ I am severely anxious or depressed ☐ I am severely anxious or depressed ☐ I am severely anxious or depressed ☐ I am moderately anxious or depressed ☐ I am extremely anxious or depressed					or depressed ous or depre or depresse	d
USUAL ACTIVIT or leisure activ		study, house	work, family			
☐ I have no pro☐ I have slight☐ I have mode☐☐ I have severe☐☐ I am unable f	problems doing rate problems e problems doi	g my usual ac doing my usu ng my usual a	ctivities Ial activities			
			STarT Bac	ck		
Thinking about		_				
······································	tne l ast 2 weel	ks tick your re	esponse to the	following questions:	Disagree	Agree
				following questions: in the last 2 weeks	_	_
1. My back pair	n has spread do	own my leg(s) at some time		0	1
1. My back pair	n has spread do ain in the shou l	own my leg(s lder or neck a) at some time at some time ir	in the last 2 weeks In the last 2 weeks	0	1
1. My back pair 2. I have had pa 3. I have only w	n has spread do ain in the shou l v alked short di	own my leg(s lder or neck a stances beca) at some time at some time ir use of my back	in the last 2 weeks In the last 2 weeks	0	1
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v	n has spread do ain in the shou l v alked short di weeks, I have d	own my leg(s Ider or neck a stances beca Iressed more) at some time at some time ir use of my back slowly than us	in the last 2 weeks In the last 2 weeks In pain	0	
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v 5. It's not really	n has spread do ain in the shou l v alked short di weeks, I have d v safe for a pers	own my leg(s lder or neck a stances beca lressed more son with a co) at some time at some time ir use of my back slowly than us ndition like min	in the last 2 weeks In the last 2 weeks In pain In pain sual because of back pain		
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v 5. It's not really 6. Worrying the	n has spread do ain in the shou l valked short di weeks, I have d v safe for a pers oughts have be	own my leg(s lder or neck a stances beca lressed more son with a co) at some time at some time in use of my back slowly than use ndition like mindough my mind	in the last 2 weeks the last 2 weeks pain sual because of back pain the to be physically active		
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v 5. It's not really 6. Worrying the 7. I feel that my 8. In general, I I	n has spread do nin in the shoul valked short di weeks, I have d v safe for a pers bughts have be v back pain is t	own my leg(s lder or neck a stances beca lressed more son with a co een going thro errible and it	at some time at some time in use of my back slowly than use ndition like minough my mind are going and I used to en	in the last 2 weeks the last 2 weeks to pain sual because of back pain the to be physically active a lot of the time to get any better njoy		
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v 5. It's not really 6. Worrying the 7. I feel that my 8. In general, I I	n has spread do ain in the shoul valked short di weeks, I have d safe for a pers bughts have be v back pain is t have not enjoy bothersome h	own my leg(s lder or neck a stances beca lressed more son with a co een going thro errible and it red all the things	at some time at some time in use of my back slowly than use ndition like minough my mind are going and I used to en	in the last 2 weeks the last 2 weeks to pain sual because of back pain the to be physically active a lot of the time to get any better		
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v 5. It's not really 6. Worrying the 7. I feel that my 8. In general, I I	n has spread do ain in the shoul valked short di weeks, I have d safe for a pers bughts have be v back pain is t have not enjoy bothersome h	own my leg(s lder or neck a stances beca lressed more son with a co een going thro errible and it	at some time at some time in use of my back slowly than use ndition like minough my mind are going and I used to en	in the last 2 weeks the last 2 weeks to pain sual because of back pain the to be physically active a lot of the time to get any better njoy		
1. My back pair 2. I have had pa 3. I have only w 4. In the last 2 v 5. It's not really 6. Worrying the 7. I feel that my 8. In general, I I 9. Overall, how	n has spread do ain in the shoul valked short di weeks, I have d safe for a pers bughts have be v back pain is t have not enjoy bothersome h	own my leg(s lder or neck a stances beca lressed more son with a co een going thro errible and it red all the things	at some time at some time in use of my back slowly than use ndition like minough my mind are reging ngs I used to en pain been in the	in the last 2 weeks the last 2 weeks to pain sual because of back pain the to be physically active a lot of the time to get any better thiply the last 2 weeks?		